

FASTENERS



Dowel Pins.	446
Maintenance Kits.	447
Metric Button Head Cap Screws .	445
Metric Flat Head Cap Screws . . .	445
Metric Socket Head Cap Screws .	445
Socket Button Head Cap Screws.	441
Socket Flat Head Cap Screws . .	444
Socket Head Cap Screws . . .	438-440
Socket Head Shoulder Screws . .	441
Socket Set Screws - Cup Point	442-443

Socket Head Cap Screws — 1960 Series

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability



CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
0-80 UNF .050 hex					
1/8	100	4411-035	\$33.38	-	-
3/16	100	4411-038	33.48	-	-
1/4	100	4411-041	33.74	-	-
3/8	100	4411-044	33.97	-	-
1-72 UNF 1/16" hex					
1/8	100	4411-047	33.48	-	-
3/16	100	4411-050	33.74	-	-
1/4	100	4411-053	33.84	-	-
3/8	100	4411-056	34.31	-	-
2-56 UNC 5/64" hex					
3/16	100	4410-003	18.18	-	-
1/4	100	4410-006	18.31	-	-
3/8	100	4410-012	18.51	-	-
1/2	100	4410-015	18.62	-	-
3-48 UNC 5/64" hex					
3/16	100	4410-024	32.20	-	-
1/4	100	4410-027	18.51	-	-
3/8	100	4410-030	18.97	-	-
1/2	100	4410-033	19.17	-	-
4-40 UNC 3/32" hex					
			10IP		
3/16	100	4410-040	9.80	-	-
1/4	100	4410-042	9.34	4430-042	\$16.60
5/16	100	4410-043	9.47	-	-
3/8	100	4410-048	9.54	4430-048	16.95
1/2	100	4410-054	9.73	4430-054	17.30
5/8	100	4410-057	9.80	4430-057	17.42
3/4	100	4410-060	10.06	4430-060	17.88
7/8	100	4410-061	11.68	-	-
1	100	4410-062	12.13	-	-
1-1/4	100	4410-065	39.34	-	-
1-1/2	100	4410-068	43.60	-	-
5-40 UNC 3/32" hex					
			10IP		
1/4	100	4410-078	9.39	4430-078	16.72
3/8	100	4410-084	9.47	4430-084	16.84
1/2	100	4410-090	9.86	4430-090	17.54
5/8	100	4410-093	9.93	-	-
3/4	100	4410-096	10.12	-	-
1	100	4410-099	28.14	-	-
6-32 UNC 7/64" hex					
			15IP		
1/4	100	4410-108	9.47	4430-108	16.84
3/8	100	4410-114	9.60	4430-114	17.07
1/2	100	4410-120	9.73	4430-120	17.30
5/8	100	4410-123	10.06	4430-123	17.88
3/4	100	4410-126	10.38	4430-126	18.45
7/8	100	4410-129	11.42	-	-
1	100	4410-132	12.58	4430-132	22.37
1-1/4	100	4410-133	14.53	-	-
1-1/2	100	4410-136	15.89	-	-
1-3/4	100	4410-139	16.87	-	-
2	100	4410-141	18.04	-	-
6-40 UNF 7/64" hex					
			15IP		
1/4	100	4411-062	19.50	-	-
3/8	100	4411-068	19.72	-	-
1/2	100	4411-074	20.07	-	-
5/8	100	4411-077	21.79	-	-
3/4	100	4411-080	24.55	-	-

CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
8-32 UNC 9/64" hex					
			25IP		
1/4	100	4410-156	\$9.28	4430-156	\$16.49
5/16	100	4410-165	16.73	-	-
3/8	100	4410-162	9.54	4430-162	16.95
1/2	100	4410-168	9.80	4430-168	17.42
5/8	100	4410-174	17.53	4430-174	17.53
3/4	100	4410-177	10.90	4430-177	19.38
7/8	100	4410-180	11.42	4430-180	20.30
1	100	4410-186	12.78	4430-186	22.72
1-1/4	100	4410-192	14.01	4430-192	24.92
1-1/2	100	4410-198	15.17	4430-198	26.98
1-3/4	100	-	-	-	-
2	100	4410-201	18.81	-	-
2-1/2	100	4410-208	20.96	-	-
8-36 UNF 9/64" hex					
3/8	100	4411-089	25.37	-	-
1/2	100	4411-092	25.84	-	-
3/4	100	4411-095	29.19	-	-
10-24 UNC 5/32" hex					
			27IP		
1/4	100	4410-210	22.95	-	-
3/8	100	4410-216	9.60	4430-216	17.07
1/2	100	4410-219	9.80	4430-219	17.42
5/8	100	4410-225	10.12	4430-225	18.00
3/4	100	4410-228	10.83	4430-228	19.26
7/8	100	4410-231	11.75	4430-231	20.88
1	100	4410-234	12.78	4430-234	22.72
1-1/4	100	4410-240	13.88	4430-240	24.67
1-1/2	100	4410-246	27.56	4430-246	27.56
1-3/4	100	4410-249	17.06	-	-
2	100	4410-255	18.49	4430-255	32.87
2-1/4	100	4410-258	35.75	-	-
2-1/2	100	4410-260	38.28	-	-
3	100	4410-262	27.83	-	-
10-32 UNF 5/32" hex					
			27IP		
1/4	100	4411-105	13.42	-	-
3/8	100	4411-107	9.80	4431-107	17.42
1/2	100	4411-113	9.93	4431-113	17.65
5/8	100	4411-119	10.64	4431-119	18.91
3/4	100	4411-122	19.72	4431-122	19.72
7/8	100	4411-125	22.61	4431-125	22.61
1	100	4411-128	13.04	4431-128	23.19
1-1/4	100	4411-134	14.53	4431-134	25.84
1-1/2	100	4411-137	16.28	4431-137	28.95
1-3/4	100	4411-140	17.78	4431-140	31.60
2	100	4411-143	19.78	4431-143	35.17
2-1/4	100	4411-145	21.80	-	-
2-1/2	100	4411-147	23.35	-	-
3	100	4411-150	54.81	-	-
1/4-20 UNC 3/16" hex					
			30IP		
1/4	100	4410-265	12.33	-	-
3/8	100	4410-267	10.12	4430-267	18.00
1/2	100	4410-270	10.38	4430-270	18.45
5/8	100	4410-273	10.77	4430-273	19.15

Socket Head Cap Screws— 1960 Series



Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability 3



AMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/4-20 UNC 3/16" hex				30IP	
3/4	100	4410-276	\$11.68	4430-276	\$20.76
7/8	100	4410-279	12.59	4430-279	22.38
1	100	4410-282	13.37	4430-282	23.76
1-1/4	100	4410-291	14.34	4430-291	25.49
1-1/2	100	4410-294	16.22	4430-294	28.83
1-3/4	100	4410-300	17.74	4430-300	31.54
2	100	4410-306	POA	4430-306	34.14
2-1/4	100	4410-309	24.00	4430-309	42.68
2-1/2	100	4410-312	26.66	4430-312	47.41
2-3/4	100	4410-315	57.32	4430-315	57.32
3	100	4410-318	63.43	4430-318	35.68
3-1/4	100	4410-319	67.59	-	-
3-1/2	100	4410-320	79.70	-	-
3-3/4	100	-	-	-	-
4	100	4410-322	105.65	-	-
1/4-28 UNF 3/16" hex				30IP	
1/4	100	-	-	-	-
3/8	100	4411-161	20.18	4431-161	20.18
1/2	100	4411-164	20.64	4431-164	20.64
5/8	100	4411-170	20.99	4431-170	20.99
3/4	100	4411-176	22.72	4431-176	22.72
7/8	100	4411-179	25.15	-	-
1	100	4411-182	26.65	4431-182	26.65
1-1/4	100	4411-188	29.29	4431-188	29.29
1-1/2	100	4411-191	32.41	4431-191	32.41
1-3/4	100	4411-194	35.76	4431-194	35.76
2	100	4411-200	39.09	4431-200	39.09
2-1/4	100	4411-203	47.99	-	-
2-1/2	100	-	-	-	-
3	100	-	-	-	-
4	100	-	-	-	-
5/16-18 UNC 3/16" hex				45IP	
3/8	100	4410-348	17.12	4430-348	30.45
1/2	100	4410-351	13.23	4430-351	23.52
5/8	100	4410-354	13.82	4430-354	24.57
3/4	100	4410-357	14.27	4430-357	25.37
7/8	100	4410-360	15.63	4430-360	27.80
1	100	4410-363	16.02	4430-363	28.49
1-1/4	100	4410-369	17.97	4430-369	31.95
1-1/2	100	4410-372	19.07	4430-372	33.91
1-3/4	100	4410-375	21.40	4430-375	38.06
2	100	4410-381	23.10	4430-381	41.07
2-1/4	100	4410-387	28.55	4430-387	50.75
2-1/2	100	4410-393	31.20	4430-393	55.47
2-3/4	100	4410-396	42.49	4430-396	75.55
3	100	4410-399	86.96	4430-399	86.96
3-1/4	100*	4410-402	108.42	-	-
3-1/2	100*	4410-405	119.50	4430-405	119.50
4	100*	4410-410	125.49	-	-
4-1/2	100	4410-413	140.95	-	-
5	100	4410-416	111.65	-	-
5/16-24 UNF 3/16" hex				45IP	
1/2	100	4411-221	25.15	-	-
5/8	100	4411-224	26.29	-	-
3/4	100	4411-227	28.04	4431-227	28.04
7/8	100	4411-230	30.91	4431-230	30.91
1	100	4411-233	31.49	4431-233	31.49
1-1/4	100	4411-239	33.33	4431-239	33.33
1-1/2	100	4411-242	37.26	4431-242	37.26
1-3/4	100	4411-248	41.07	-	-
2	100	4411-254	45.21	-	-
2-1/4	100	4411-257	53.51	-	-
2-1/2	100	4411-260	62.05	-	-

AMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
3/8-16 UNC 5/16" hex				50IP	
1/2	100	4410-435	\$16.29	4430-435	\$28.95
5/8	100	4410-438	16.80	4430-438	29.87
3/4	100	4410-441	17.19	4430-441	30.56
7/8	100	4410-444	18.81	4430-444	33.45
1	100	4410-447	19.46	4430-447	34.61
1-1/4	100	4410-450	20.96	4430-450	37.26
1-1/2	50	4410-456	11.55	4430-456	20.53
1-3/4	50	4410-459	13.17	4430-459	23.42
2	50	4410-462	14.21	4430-462	25.26
2-1/4	50	4410-465	17.78	4430-465	31.60
2-1/2	50	4410-468	19.33	4430-468	34.37
2-3/4	50	4410-471	26.37	4430-471	46.89
3	50	4410-474	28.80	4430-474	51.21
3-1/4	50	4410-477	61.36	4430-477	61.36
3-1/2	50	4410-483	39.28	4430-483	69.84
4	50	4410-489	46.38	4430-489	82.47
4-1/2	50	4410-495	98.79	-	-
5	50	4410-501	118.11	-	-
5-1/2	50	-	-	-	-
6	50	4410-510**	33.03	-	-
3/8-24 UNF 5/16" hex				50IP	
1/2	100	4411-275	34.67	-	-
5/8	100	4411-278	35.65	-	-
3/4	100	4411-281	36.32	4431-281	36.32
7/8	100	4411-284	39.22	-	-
1	100	4411-287	39.91	4431-287	39.91
1-1/4	100	4411-290	43.13	4431-290	43.13
1-1/2	50	4411-293	47.17	-	-
1-3/4	50	4411-296	27.04	-	-
2	50	4411-299	29.70	4431-299	29.70
2-1/4	50	4411-302	37.95	-	-
2-1/2	50	4411-305	41.52	-	-
3	50	4411-308	56.29	-	-
3-1/2	50	-	-	-	-
4	50	-	-	-	-
5	50	-	-	-	-
7/16-14 UNC 3/8" hex				55IP	
5/8	100	4410-518	63.55	-	-
3/4	100	4410-519	65.05	-	-
7/8	100	4410-521	69.66	-	-
1	100	4410-525	40.22	-	-
1-1/4	100*	4410-528	43.53	-	-
1-1/2	100*	4410-531	47.75	-	-
1-3/4	100*	4410-537	52.74	-	-
2	50	4410-540	28.48	-	-
2-1/4	50	4410-543	56.11	-	-
2-1/2	50	4410-546	33.41	-	-
2-3/4	25	4410-549	34.23	-	-
3	25	4410-552	36.91	-	-
3-1/4	25	-	-	-	-
3-1/2	25	4410-558	42.71	-	-
4	25	4410-564	47.38	-	-
4-1/2	25	-	-	-	-
5	25	-	-	-	-
7/16-20 UNF 3/8" hex					
1	100	4411-326	78.78	-	-
1-1/4	100*	4411-329	84.32	-	-
1-1/2	100*	4411-332	94.93	-	-
2	50	4411-338	55.43	-	-

Socket Head Cap Screws— 1960 Series



Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability ³





		ALLOY STEEL		TORX	
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/2-13 UNC 3/8" hex				55IP	
1/2	50	4410-573	\$43.13	4430-573	\$43.13
5/8	50	4410-576	45.15	4430-576	45.16
3/4	50	4410-579	22.07	4430-579	39.24
7/8	50	4410-582	39.97	-	-
1	50	4410-585	22.64	4430-585	40.25
1-1/4	50	4410-588	23.48	4430-588	41.75
1-1/2	25	4410-591	13.30	4430-591	26.60
1-3/4	25	4410-594	14.73	4430-594	52.37
2	25	4410-597	15.63	4430-597	55.59
2-1/4	25	-	-	4430-600	31.58
2-1/2	25	4410-606	18.99	4430-606	33.77
2-3/4	25	4410-609	21.86	4430-609	38.87
3	25	4410-612	23.21	4430-612	41.26
3-1/4	25	4410-618	45.10	4430-618	45.10
3-1/2	25	4410-621	26.89	4430-621	47.81
4	25	4410-627	32.34	4430-627	57.49
4-1/2	25	4410-633	67.42	-	-
5	25	4410-639	74.80	-	-
5-1/2	25	4410-645	83.07	-	-
6	25	4410-654	88.67	-	-
6-1/2	10	4410-657	55.28	-	-
7	10	4410-660	63.03	-	-
8	10	4410-663	78.64	-	-

† Limited Quantities

AMCAR					
		ALLOY STEEL		TORX	
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/2-20 UNF 3/8" hex					
1	50	4411-356	\$41.12	-	-
1-1/4	50	4411-359	46.77	-	-
1-1/2	25	4411-362	50.35	-	-
1-3/4	25	4411-365	15.59	-	-
2	25	4411-368	29.73	-	-
2-1/4	25	4411-371	33.25	-	-
2-1/2	25	4411-374	34.98	-	-
3	25	4411-377	44.78	-	-
5/8-11 UNC 1/2" hex					
1	25	-	-	-	-
1-1/4	50	4410-672	48.05	-	-
1-1/2	50	4410-678	51.59	-	-
1-3/4	50	4410-681	54.99	-	-
2	50	4410-684	58.44	-	-
2-1/4	25	4410-687	31.36	-	-
2-1/2	25	4410-690	32.60	-	-
2-3/4	25	4410-693†	21.33	-	-
3	25	4410-696	38.34	-	-
3-1/4	25	-	-	-	-
3-1/2	25	4410-702	42.12	-	-
3/4-10 UNC 5/8" hex					
2	25	4410-753	55.86	-	-
2-1/2	25	4410-759	61.14	-	-
3	25	4410-765	76.85	-	-

See our selection of Tools:
Hex Bit Sockets: Page 345, 348
Hex Keys: Pages 386-387
Balldrivers: Pages 384-385
Torx® Bit Sockets: Pages 345, 348
Torx® : Pages 380-383
TorxPlus® : Page 380
Fastener Drive Tools: Pages 378-379


Socket Head Shoulder Screws

Alloy Steel Heat Treated—
Class 3A Thread Fit Standard—
Complete Traceability



Socket Button Head Cap Screws

Alloy Steel Heat Treated—
Class 3A Thread Fit Standard —
Complete Traceability



ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
1/4 UNC 1/8" hex			
1/4	25	4413-755	\$32.67
3/8	25	4413-759	16.07
1/2	25	4413-762	16.23
5/8	25	4413-765	29.99
3/4	25	4413-768	17.37
1	25	4413-771	32.21
1-1/4	25	4413-774	34.92
1-1/2	25	4413-777	36.27
2	25	4413-780	43.22
5/16 UNC 5/32" hex			
1/4	25	4413-793	40.20
3/8	25	4413-795	19.04
1/2	25	4413-798	34.20
5/8	25	4413-801	34.83
3/4	25	4413-804	35.52
1	25	4413-810	20.47
1-1/4	25	4413-813	40.02
1-1/2	25	4413-816	23.30
1-3/4	25	4413-819	43.71
2	25	4413-822	44.09
3/8 UNC 3/16" hex			
1/4	25	4413-834	50.63
3/8	25	4413-837	21.68
1/2	25	4413-840	21.97
5/8	25	4413-843	39.42
3/4	25	4413-846	40.14
1	25	4413-849	22.74
1-1/4	25	4413-852	42.91
1-1/2	25	4413-855	44.12
1-3/4	25	4413-858	45.38
2	25	4413-861	48.79
2-1/4	25	4413-864	51.35
2-1/2	25	4413-867	56.60
2-3/4	25	4413-870	59.83
3	25	4413-873	63.01
3-1/4	25	4413-876	71.68
3-1/2	25	4413-879	77.88
3-3/4	25	4413-882	88.93
4	25	4413-885	90.48
1/2 UNC 1/4" hex			
3/8	25	4413-889	73.30
1/2	25	4413-891	35.05
5/8	25	4413-894	65.11
3/4	25	4413-897	36.81
1	25	4413-900	37.01
1-1/4	25	4413-903	67.50
1-1/2	25	4413-906	38.81
1-3/4	25	4413-909	72.95
2	25	4413-912	76.53
2-1/4	25	4413-915	80.25
2-1/2	25	4413-918	82.87

ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
1/2 UNC 1/4" hex			
2-3/4	25	4413-921	\$87.80
3	25	4413-924	93.05
3-1/4	25	4413-927	103.40
3-1/2	25	4413-930	110.87
3-3/4	25	4413-933	124.22
4	25	4413-936	127.31
4-1/4	25	4413-939	150.58
4-1/2	10	4413-942	61.27
4-3/4	10	4413-945	67.25
5	10	4413-948	69.10
5/8 UNC 5/16" hex			
3/4	25	4413-956	125.01
1	25	4413-958	147.16
1-1/4	25	4413-960	106.30
1-1/2	25	4413-963	112.50
1-3/4	25	4413-966	115.29
2	25	4413-969	119.48
2-1/4	25	4413-972	132.29
2-1/2	25	4413-975	141.49
2-3/4	25	4413-978	147.25
3	25	4413-981	147.98
3-1/4	25	4413-984	189.51
3-1/2	25	4413-987	211.95
3-3/4	10	4413-990	95.99
4	10	4413-993	100.38
4-1/4	10	4413-996	112.81
4-1/2	10	4413-999	115.65
4-3/4	10	4414-002	124.02
5	10	4414-005	125.75
5-1/2	10	4414-008	215.51
6	10	4414-011	256.73
3/4 UNC 3/8" hex			
1-1/2	10	4414-020	85.73
1-3/4	10	4414-023	86.37
2	10	4414-026	82.16
2-1/4	10	4414-029	91.35
2-1/2	10	4414-032	99.17
2-3/4	10	4414-035	104.22
3	10	4414-038	108.90
3-1/4	10	4414-041	127.68
3-1/2	10	4414-044	130.85
3-3/4	10	4414-047	138.34
4	10	4414-050	142.56
4-1/4	10	4414-053	159.16
4-1/2	10	4414-056	161.06
4-3/4	10	4414-059	176.33
5	10	4414-062	176.85
5-1/2	10	4414-065	275.92
6	10	4414-068	314.03

ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
2-56 UNC .050 hex			
3/16	100	4414-070	\$37.72
1/4	100	4414-072	40.14
3/8	100	4414-074	43.13
4-40 UNC 1/16" hex			
3/16	100	4414-078	22.49
1/4	100	4414-080	15.69
3/8	100	4414-083	16.72
1/2	100	4414-089	17.88
6-32 UNC 5/64" hex			
3/16	100	4414-095	23.64
1/4	100	4414-101	9.09
3/8	100	4414-107	9.27
1/2	100	4414-110	17.54
5/8	100	4414-113	18.45
8-32 UNC 3/32" hex			
1/4	100	4414-125	9.86
3/8	100	4414-131	10.25
1/2	100	4414-134	10.38
5/8	100	4414-137	20.99
3/4	100	4414-140	21.91
1	100	4414-143	23.42
10-24 UNC 1/8" hex			
1/4	100	4414-152	17.42
3/8	100	4414-155	9.99
1/2	100	4414-158	10.38
5/8	100	4414-161	20.87
3/4	100	4414-164	22.37
7/8	100	4414-167	25.37
1	100	4414-170	26.30
10-32 UNC 1/8" hex			
1/4	100	4414-302	17.42
3/8	100	4414-305	9.99
1/2	100	4414-311	10.38
5/8	100	4414-314	20.87
3/4	100	4414-317	22.37
7/8	100	4414-320	25.37
1	100	4414-323	26.30
1/4-20 UNC 1/16 hex			
3/8	100	4414-176	11.16
1/2	100	4414-179	11.35
5/8	100	4414-182	11.68
3/4	100	4414-185	21.57
7/8	100	4414-188	24.80
1	100	4414-191	25.15
1-1/4	100	4414-194	30.79
1-1/2	100	4414-197	33.45

ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
1/4-28 UNF 1/4" hex			
3/8	100	4414-329	\$19.84
1/2	100	4414-332	20.18
5/8	100	4414-335	20.76
3/4	100	4414-338	21.57
1	100	4414-344	25.15
5/16-18 UNC 5/16" hex			
3/8	100	4414-203	25.95
1/2	100	4414-206	14.72
5/8	100	4414-209	31.02
3/4	100	4414-212	17.71
7/8	100	4414-215	34.60
1	100	4414-218	35.18
1-1/4	100	4414-221	55.94
1-1/2	100	4414-224	59.05
5/16-24 UNF 5/16" hex			
3/8	100	4414-350	25.95
1/2	100	4414-353	26.18
5/8	100	4414-356	31.02
3/4	100	4414-359	31.49
1	100	4414-365	35.18
3/8-16 UNC 3/8" hex			
1/2	100	4414-230	38.64
5/8	100	4414-233	42.68
3/4	100	4414-236	25.56
7/8	100	4414-239	49.94
1	100	4414-242	28.34
1-1/4	100	4414-245	50.52
1-1/2	100	4414-248	63.09
3/8-24 UNF 3/8" hex			
1/2	100	4414-371	38.64
3/4	100	-	-
1	100	4414-380	50.38
1/2-13 UNC 5/16" hex			
1	25	4414-260	40.02
1-1/4	25	4414-263	47.35
1-1/2	25	4414-266	52.82
2	25	4414-272	67.70

Socket Set Screws - Cup Point

3

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability



LENGTH UNDER HEAD	QTY PER BOX	ALLOY STEEL		KNURLED	
		ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
2-56 UNC .035 hex					
1/16 100		4411-449	\$55.82	-	-
3/32 100		4411-450	58.13	-	-
1/8 100		4411-452	58.82	-	-
3/16 100		4411-455	61.48	-	-
1/4 100		4411-458	62.28	-	-
3-48 UNC .050 hex					
3/32 100		4411-463	45.68	-	-
1/8 100		4411-464	46.13	-	-
3/16 100		4411-467	46.82	-	-
1/4 100		4411-470	47.28	-	-
4-40 UNC .050 hex					
1/8 100		4411-473	8.82	4413-135	\$9.63
3/16 100		4411-476	8.95	-	-
1/4 100		4411-479	9.01	-	-
5/16 100		4411-482	16.26	-	-
3/8 100		4411-485	17.30	-	-
1/2 100		4411-491	11.42	-	-
5/8 100		4411-494	24.57	-	-
4-48 UNF .050 hex					
1/8 100		4411-962	15.69	-	-
3/16 100		4411-965	15.91	-	-
1/4 100		4411-968	16.03	-	-
5-40 UNC 1/16 hex					
1/8 100		4411-497	9.47	-	-
3/16 100		4411-500	9.67	-	-
1/4 100		4411-503	17.53	-	-
5/16 100		4411-506	17.76	-	-
3/8 100		-	-	-	-
1/2 100		4411-515	20.77	-	-
5/8 100		4411-518	12.13	-	-
3/4 100		4411-521	22.60	-	-
6-32 UNC 1/16 hex					
1/8 100		4411-524	18.46	4413-180	9.17
3/16 100		4411-527	9.28	4413-183	9.30
1/4 100		4411-530	9.41	4413-186	9.50
5/16 100		4411-533	16.96	-	-
3/8 100		4411-536	17.19	-	-
1/2 100		4411-542	18.22	-	-
5/8 100		4411-545	24.57	-	-
3/4 100		4411-548	27.46	-	-
7/8 100		4411-551	38.06	-	-
1 100		4411-554	40.83	-	-
6-40 UNF 1/16 hex					
1/8 100		4411-986	18.46	-	-
3/16 100		4411-989	16.49	-	-
1/4 100		4411-992	16.73	-	-
3/8 100		4411-998	17.19	-	-
8-32 UNC 5/64 hex					
1/8 100		4411-557	15.34	-	-
3/16 100		4411-560	15.57	-	-
1/4 100		4411-563	8.89	-	-
5/16 100		4411-566	16.15	-	-
3/8 100		4411-569	9.34	-	-

LENGTH UNDER HEAD	QTY PER BOX	ALLOY STEEL		KNURLED	
		ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
8-32 UNC 5/64 hex					
7/16 100		-	-	-	-
1/2 100		4411-575	\$10.57	-	-
5/8 100		4411-578	25.72	-	-
3/4 100		4411-581	27.22	-	-
7/8 100		4411-584	36.22	-	-
1 100		4411-587	40.14	-	-
8-36 UNF 5/64 hex					
1/8 100		-	-	-	-
3/16 100		-	-	-	-
1/4 100		4412-007	15.80	-	-
3/8 100		4412-013	16.61	-	-
10-24 UNC 3/32 hex					
3/16 100		4411-590	8.89	-	-
1/4 100		4411-593	9.08	4413-243	\$9.43
5/16 100		4411-596	16.61	-	-
3/8 100		4411-599	10.06	-	-
1/2 100		4411-602	10.84	-	-
5/8 100		4411-605	20.06	-	-
3/4 100		4411-608	22.72	-	-
7/8 100		4411-611	38.06	-	-
1 100		4411-617	41.98	-	-
1-1/4 100		4411-620	43.95	-	-
10-32 UNF 3/32 hex					
3/16 100		4412-022	8.89	4413-627	9.23
1/4 100		4412-025	16.15	4413-630	9.43
5/16 100		4412-028	16.61	-	-
3/8 100		4412-031	17.88	4413-636	10.02
1/2 100		4412-037	19.27	4413-639	11.54
5/8 100		4412-040	20.07	-	-
3/4 100		4412-043	22.72	-	-
1 100		4412-049	41.98	-	-
1-1/4 100		4412-052	43.95	-	-
1/4-20 UNC 1/8 hex					
3/16 100		4411-626	9.73	4413-270	9.56
1/4 100		4411-629	8.89	4413-273	9.50
5/16 100		4411-632	9.08	4413-276	9.84
3/8 100		4411-635	9.93	4413-279	9.95
1/2 100		4411-641	10.51	4413-282	10.54
5/8 100		4411-644	22.38	-	-
3/4 100		4411-647	14.27	4413-288	14.73
7/8 100		4411-650	32.07	-	-
1 100		4411-653	20.50	-	-
1-1/4 100		4411-656	46.13	-	-
1-1/2 100*		4411-659	58.02	-	-
1-3/4 100*		4411-662	74.16	-	-
2 100*		4411-665	84.54	-	-
1/4-28 UNF 1/8 hex					
3/16 100		4412-061	17.30	-	-
1/4 100		4412-064	15.80	-	-
5/16 100		4412-067	16.15	-	-
3/8 100		4412-070	17.65	-	-
1/2 100		4412-076	18.68	-	-
5/8 100		4412-079	22.38	-	-
3/4 100		4412-082	25.37	-	-
1 100		4412-085	36.45	-	-
1-1/4 100		4412-088	46.13	-	-

(Continued)

Socket Set Screws - Cup Point (Continued)

3

**Alloy Steel Heat Treated -
Class 3A Thread Fit Standard -
Complete Traceability**




LENGTH UNDER HEAD	QTY PER BOX	ALLOY STEEL		KNURLED	
		ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
5/16-18 UNC 5/32 hex					
1/4	100	4411-671	\$10.64	4413-309	\$11.20
5/16	100	4411-674	10.06	4413-312	10.02
3/8	100	4411-677	10.19	-	-
7/16	100	4411-680	18.56	-	-
1/2	100	4411-683	10.64	-	-
5/8	100	4411-686	23.98	-	-
3/4	100	4411-689	15.57	-	-
7/8	100	4411-692	38.75	-	-
1	100	4411-695	23.23	-	-
1-1/4	100	4411-698	47.28	-	-
1-1/2	100	4411-701	62.63	-	-
1-3/4	100*	4411-704	77.39	-	-
2	100*	4411-707	82.23	-	-
5/16-24 UNF 5/32 hex					
1/4	100	4412-094	18.92	-	-
5/16	100	4412-097	17.88	-	-
3/8	100	4412-100	18.11	-	-
1/2	100	4412-106	18.92	-	-
5/8	100	4412-109	23.98	-	-
3/4	100	4411-687	27.68	-	-
1	100	4412-118	41.30	-	-
3/8-16 UNC 3/16 hex					
1/4	100	4411-713	23.30	-	-
5/16	100	4411-716	13.95	-	-
3/8	100	4411-719	11.68	-	-
7/16	100	-	-	-	-
1/2	100	4411-725	13.62	-	-
5/8	100	4411-728	15.76	-	-
3/4	100	4411-731	16.87	-	-
7/8	100	-	-	-	-
1	100	4411-737	23.23	-	-
1-1/4	100	4411-740	52.36	-	-
1-1/2	100	4411-743	68.17	-	-
1-3/4	100	4411-746	82.81	-	-
2	100	-	-	-	-
2-1/2	100	4411-752	104.96	-	-
3/8-24 UNF 3/16 hex					
1/4	100	4412-124	23.30	-	-
3/8	100	4412-130	20.76	-	-
1/2	100	4412-136	24.22	-	-

LENGTH UNDER HEAD	QTY PER BOX	ALLOY STEEL		KNURLED	
		ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
3/8-24 UNF 3/16 hex					
5/8	100	4412-139	\$28.03	-	-
3/4	100	4412-142	29.99	-	-
1	100	4412-148	41.30	-	-
1-1/4	100	4412-151	52.36	-	-
1-1/2	100	4412-134	68.17	-	-
7/16-14 UNC 7/32 hex					
3/8	100	-	-	-	-
7/16	100	4411-758†	27.09	-	-
1/2	100	4411-761	50.30	-	-
5/8	100	4411-764	54.90	-	-
3/4	100	4411-767	59.28	-	-
7/8	50	-	-	-	-
7/16-14 UNC 7/32 hex					
1	100*	4411-773	76.47	-	-
1-1/4	100*	4411-776	82.12	-	-
1-1/2	100*	4411-779	95.85	-	-
2	50	4411-782	60.38	-	-
7/16-20 UNF 7/32 hex					
3/8	100	4412-163	26.20	-	-
7/16	100	-	-	-	-
1/2	100	4412-169	50.30	-	-
1/2-13 UNC 1/4 hex					
3/8	100	4411-794	61.11	-	-
1/2	100	4411-800	33.91	4413-426	\$66.83
5/8	100	4411-803	37.27	-	-
3/4	100	4411-806	38.60	-	-
7/8	100*	4411-809	76.73	-	-
1	100*	4411-812	48.78	-	-
1-1/4	100*	4411-815	109.05	-	-
1-1/2	100*	4411-818	121.39	-	-
1-3/4	500	4411-821	70.28	-	-
2	500	4411-824	79.56	-	-
2-1/2	500	4411-830	102.41	-	-
3	500	4411-833	106.59	-	-
1/2-20 UNF 1/4 hex					
1/2	100	4412-187	60.28	-	-
3/4	100	4412-193	68.63	-	-
1	100	4412-196	86.72	-	-

Socket Flat Countersunk Head Cap Screws

3

**Alloy Steel Heat Treated -
Class 3A Thread Fit Standard -
Complete Traceability**



ALLOY STEEL				
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX.	
2-56 UNC .050 hex				
3/16	100	4414-382	\$42.79	
1/4	100	4414-385	46.02	
3/8	100	4414-387	50.05	
1/2	100	4414-390	53.75	
4-40 UNC 1/16 hex				
1/4	100	4414-392	20.76	
3/8	100	4414-395	21.45	
1/2	100	4414-398	22.72	
5/8	100	4414-401	23.76	
3/4	100	4414-404	27.10	
5-40 UNC 5/64 hex				
1/4	100	4414-413	21.87	
3/8	100	4414-416	22.38	
1/2	100	4414-419	23.76	
5/8	100	4414-422	26.30	
3/4	100	4414-425	29.76	
6-32 UNC 5/64 hex				
1/4	100	4414-434	13.10	
3/8	100	4414-440	13.43	
1/2	100	4414-443	13.82	
5/8	100	4414-446	26.64	
3/4	100	4414-449	27.22	
1	100	4414-451	32.18	
8-32 UNC 3/32 hex				
3/8	100	4414-458	13.75	
1/2	100	4414-461	14.29	
5/8	100	4414-464	25.95	
3/4	100	4414-467	28.38	
1	100	4414-473	31.60	
10-24 UNC 1/8 hex				
3/8	100	4414-482	23.64	
1/2	100	4414-485	14.50	
5/8	100	4414-488	26.99	
3/4	100	4414-491	15.31	
1	100	4414-497	32.64	
1-1/4	100	4414-500	41.98	
1-1/2	100	4414-503	48.21	
10-32 UNF 1/8 hex				
3/8	100	4414-773	23.64	
1/2	100	4414-779	25.77	
5/8	100	4414-782	26.99	
3/4	100	4414-785	27.22	
1	100	4414-791	32.64	
1-1/4	100	4414-794	41.98	
1-1/2	100	4414-797	48.21	
1/4-20 UNC 5/32 hex				
3/8	100	4414-506	26.53	
1/2	100	4414-509	14.40	
5/8	100	4414-515	15.31	
3/4	100	4414-518	15.37	
1	100	4414-524	20.61	

ALLOY STEEL				
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	
1/4-20 UNC 5/32 hex				
1-1/4	100	4414-527	\$40.37	
1-1/2	100	4414-530	47.28	
1-3/4	100	4414-533	57.32	
2	100	4414-536	62.28	
2-1/2	100	4414-542	68.17	
1/4-28 UNF 5/32 hex				
3/8	100	4414-809	26.53	
1/2	100	4414-815	25.61	
5/8	100	4414-818	27.22	
3/4	100	4414-821	27.33	
1	100	4414-824	36.64	
1-1/4	100	4414-827	40.37	
1-1/2	100	4414-830	47.28	
5/16-18 UNC 3/16 hex				
1/2	100	4414-548	30.33	
5/8	100	4414-554	31.83	
3/4	100	4414-557	18.17	
7/8	100	4414-560	33.45	
1	100	4414-563	19.46	
1-1/4	100	4414-566	44.17	
1-1/2	100	4414-572	49.02	
1-3/4	100	4414-575	70.36	
2	100	4414-578	77.51	
2-1/4	100	4414-581	89.50	
2-1/2	100	4414-584	100.46	
5/16-24 UNF 3/16 hex				
1/2	100	4414-839	30.33	
5/8	100	4414-842	31.83	
3/4	100	4414-845	32.30	
7/8	100	4414-846	33.45	
1	100	4414-848	34.61	
1-1/4	100	4414-851	44.17	
1-1/2	100	4414-854	49.02	
3/8-16 UNC 7/32 hex				
1/2	100	4414-590	46.82	
5/8	100	4414-593	48.07	
3/4	100	4414-596	27.31	
1	100	4414-602	49.02	
1-1/4	100	4414-605	52.25	
1-1/2	100	4414-608	55.01	
1-3/4	100	4414-611	79.70	
2	100	4414-614	87.66	
2-1/4	100	4414-617	104.27	
2-1/2	50	4414-620	56.28	
3	50	4414-626	66.55	
3/8-24 UNF 7/32 hex				
5/8	100	4414-866	48.07	
3/4	100	4414-869	48.55	
1	100	4414-872	49.02	
1-1/4	100	4414-875	52.25	
1-1/2	100	4414-878	55.01	

ALLOY STEEL				
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	
7/16-14 UNC 7/16 hex				
3/4	100	4414-635	\$	95.85
1	100	4414-638		105.31
1-1/4	100	4414-641		115.34
1-1/2	100	4414-644		123.19
1-3/4	100	4414-647		128.95
2	100	4414-650		134.25
1/2-13 UNC 5/16 hex				
3/4	100	4414-653		98.13
1	100	4414-662		102.58
1-1/2	100	4414-668		124.92
1-3/4	50	4414-671		70.51
2	50	4414-674		73.45
2-1/4	25	4414-677		44.01
2-1/2	25	4414-680		47.33
3	25	4414-686		54.03
1/2-20 UNF 5/16 hex				
3/4	25	4414-884		98.13
1	25	4414-887		102.58
1-1/4	25	4414-890		118.23
1-1/2	25	4414-893		124.92
1-3/4	25	4414-896		70.51
2	25	4414-902		73.45
5/8-11 UNC 3/8 hex				
1-1/4	25	4414-698		55.73
1-1/2	25	4414-701		60.82
1-3/4	25	4414-704		70.36
2	25	4414-707		73.33

Metric Socket Head Cap Screws

Alloy Steel Heat Treated - Class 12.9 - Complete Traceability




3

		L'GTH UNDER HEAD	HEX KEY	QTY PER BOX	ORDER NO.	PRICE PER BOX			L'GTH UNDER HEAD	HEX KEY	QTY PER BOX	ORDER NO.	PRICE PER BOX			L'GTH UNDER HEAD	HEX KEY	QTY PER BOX	ORDER NO.	PRICE PER BOX
SIZE		MM	MM				SIZE		MM	MM				SIZE		MM	MM			
M 3.0	x 0.50	x 6	2.5	100	4460-003	\$20.57	M 6.0	x 1.00	x 20	5	100	4460-077	\$23.31	M 10.0	x 1.50	x 60	8	50	4460-151	\$36.80
M 3.0	x 0.50	x 8	2.5	100	4460-005	18.51	M 6.0	x 1.00	x 25	5	100	4460-079	24.91	M 10.0	x 1.50	x 70	8	50	4460-155	47.58
M 3.0	x 0.50	x 10	2.5	100	4460-007	18.74	M 6.0	x 1.00	x 30	5	100	4460-081	26.74	M 12.0	x 1.75	x 25	10	50	4460-165	23.35
M 3.0	x 0.50	x 12	2.5	100	4460-009	19.54	M 6.0	x 1.00	x 35	5	100	4460-083	30.84	M 12.0	x 1.75	x 20	10	50	4460-167	43.13
M 3.0	x 0.50	x 16	2.5	100	4460-011	19.88	M 6.0	x 1.00	x 40	5	100	4460-085	32.56	M 12.0	x 1.75	x 30	10	50	4460-169	44.40
M 3.0	x 0.50	x 20	2.5	100	4460-013	20.57	M 8.0	x 1.25	x 12	6	100	4460-103	26.98	M 12.0	x 1.75	x 35	10	50	4460-171	49.82
M 3.0	x 0.50	x 25	2.5	100	4460-015	24.57	M 8.0	x 1.25	x 16	6	100	4460-105	27.56	M 12.0	x 1.75	x 40	10	50	4460-173	57.50
M 4.0	x 0.70	x 8	3	100	4460-025	18.74	M 8.0	x 1.25	x 20	6	100	4460-107	28.83	M 12.0	x 1.75	x 45	10	50	4460-175	62.63
M 4.0	x 0.70	x 10	3	100	4460-027	19.08	M 8.0	x 1.25	x 25	6	100	4460-109	31.83	M 12.0	x 1.75	x 50	10	50	4460-177	66.38
M 4.0	x 0.70	x 12	3	100	4460-029	19.88	M 8.0	x 1.25	x 30	6	100	4460-111	33.91	M 12.0	x 1.75	x 55	10	25	4460-179	36.04
M 4.0	x 0.70	x 16	3	100	4460-031	20.79	M 8.0	x 1.25	x 35	6	100	4460-113	36.91	M 12.0	x 1.75	x 60	10	25	4460-181	38.38
M 4.0	x 0.70	x 20	3	100	4460-033	22.28	M 8.0	x 1.25	x 40	6	100	4460-115	38.87	M 16.0	x 2.00	x 35	14	25	4460-201	52.88
M 4.0	x 0.70	x 25	3	100	4460-035	25.14	M 8.0	x 1.25	x 50	6	100	4460-119	46.93	M 16.0	x 2.00	x 40	14	25	4460-203	53.40
M 5.0	x 0.80	x 10	4	100	4460-049	20.57	M 10.0	x 1.50	x 16	8	100	4460-133	40.83	M 16.0	x 2.00	x 45	14	25	4460-205	58.77
M 5.0	x 0.80	x 12	4	100	4460-051	22.28	M 10.0	x 1.50	x 20	8	100	4460-135	41.29	M 16.0	x 2.00	x 50	14	25	4460-207	60.68
M 5.0	x 0.80	x 16	4	100	4460-053	23.31	M 10.0	x 1.50	x 25	8	100	4460-137	42.33	M 16.0	x 2.00	x 55	14	25	4460-209	65.54
M 5.0	x 0.80	x 20	4	100	4460-055	23.99	M 10.0	x 1.50	x 30	8	100	4460-139	44.29	M 16.0	x 2.00	x 60	14	25	4460-211	67.99
M 5.0	x 0.80	x 25	4	100	4460-057	24.67	M 10.0	x 1.50	x 35	8	100	4460-142	48.44							
M 5.0	x 0.80	x 30	4	100	4460-059	25.93	M 10.0	x 1.50	x 40	8	100	4460-143	52.25							
M 6.0	x 1.00	x 12	5	100	4460-073	21.02	M 10.0	x 1.50	x 45	8	50	4460-145	27.68							
M 6.0	x 1.00	x 16	5	100	4460-075	22.28	M 10.0	x 1.50	x 50	8	50	4460-147	29.59							

Camcar Metric Socket Button Head Cap Screws

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability



3

			L'GTH UNDER HEAD	HEX KEY	QTY PER BOX	ORDER NO.	PRICE PER BOX				L'GTH UNDER HEAD	HEX KEY	QTY PER BOX	ORDER NO.	PRICE PER BOX				L'GTH UNDER HEAD	HEX KEY	QTY PER BOX	ORDER NO.	PRICE PER BOX	
SIZE			MM	MM				SIZE			MM	MM					SIZE			MM	MM			
M 3.0	x 0.50	x 8	2	100	4460-405	\$16.15	M 5.0	x 0.80	x 10	3	100	4460-419	\$18.91	M 6.0	x 1.00	x 25	4	100	4460-439	\$26.99				
M 3.0	x 0.50	x 10	2	100	4460-407	16.49	M 5.0	x 0.80	x 12	3	100	4460-421	19.38	M 8.0	x 1.25	x 12	5	100	4460-445	27.22				
M 3.0	x 0.50	x 12	2	100	4460-409	17.30	M 5.0	x 0.80	x 16	3	100	4460-423	21.34	M 8.0	x 1.25	x 16	5	100	4460-447	27.56				
M 4.0	x 0.70	x 8	2.5	100	4460-411	18.23	M 6.0	x 1.00	x 10	4	100	4460-431	19.61	M 8.0	x 1.25	x 25	5	100	4460-451	32.07				
M 4.0	x 0.70	x 10	2.5	100	4460-413	18.91	M 6.0	x 1.00	x 12	4	100	4460-433	20.30	M 8.0	x 1.25	x 30	5	100	4460-453	35.76				
M 4.0	x 0.70	x 12	2.5	100	4460-415	19.49	M 6.0	x 1.00	x 16	4	100	4460-435	22.26	M 8.0	x 1.25	x 40	5	100	4477-133	39.28				
M 4.0	x 0.70	x 16	2.5	100	4460-417	21.34	M 6.0	x 1.00	x 20	4	100	4460-437	23.64											

Camcar Metric Socket Flat Countersunk Head Cap Screws

Alloy Steel Heat Treated - Complete Traceability



3

L'GTH UNDER HEAD MM							L'GTH UNDER HEAD MM							L'GTH UNDER HEAD MM						
SIZE	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX						
M 3.0 x 0.50 x 8	2	100	4460-277	\$21.91	M 5.0 x 0.80 x 16	3	100	4460-307	\$27.80	M 8.0 x 1.25 x 16	5	100	4460-337	\$40.14						
M 3.0 x 0.50 x 10	2	100	4460-279	23.52	M 5.0 x 0.80 x 20	3	100	4460-309	28.38	M 8.0 x 1.25 x 20	5	100	4460-339	41.06						
M 3.0 x 0.50 x 12	2	100	4460-281	24.22	M 5.0 x 0.80 x 25	3	100	4460-311	32.41	M 8.0 x 1.25 x 25	5	100	4460-341	42.68						
M 3.0 x 0.50 x 16	2	100	4460-283	25.83	M 6.0 x 1.00 x 12	4	100	4460-319	26.53	M 8.0 x 1.25 x 30	5	100	4460-343	45.10						
M 4.0 x 0.70 x 8	2.5	100	4460-287	23.52	M 6.0 x 1.00 x 16	4	100	4460-321	27.22	M 8.0 x 1.25 x 35	5	100	4460-345	49.37						
M 4.0 x 0.70 x 10	2.5	100	4460-289	24.11	M 6.0 x 1.00 x 20	4	100	4460-323	29.41	M 10.0 x 1.50 x 20	6	100	4460-351	51.44						
M 4.0 x 0.70 x 12	2.5	100	4460-291	25.15	M 6.0 x 1.00 x 25	4	100	4460-325	33.91	M 10.0 x 1.50 x 25	6	100	4460-353	51.91						
M 4.0 x 0.70 x 16	2.5	100	4460-293	25.83	M 6.0 x 1.00 x 30	4	100	4460-327	39.33	M 10.0 x 1.50 x 30	6	100	4460-355	56.29						
M 5.0 x 0.80 x 10	3	100	4460-303	26.99	M 6.0 x 1.00 x 35	4	100	4460-329	45.10											
M 5.0 x 0.80 x 12	3	100	4460-305	27.22	M 8.0 x 1.25 x 12	5	100	4477-057	39.28											

Dowel Pins

Alloy Steel Heat Treated - Standard Size +.0002 Over Nominal Diameter
Oversize +.001 Over Nominal Diameter



 					
DIA.	ALLOY STEEL	ALLOY STEEL			
LENGTH OVER- ALL	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/16" dia					
3/16	100	-	-	4415-766	\$26.09
1/4	100	-	-	4415-769	26.45
3/8	100	3185-020†	\$7.78	4415-775	26.81
1/2	100	-	-	4415-781	28.01
5/8	100	-	-	4415-784	28.25
3/4	100	3185-040†	9.32	4415-787	28.61
7/8	100	3185-045†	10.02	-	-
1	100	3185-050†	11.38	-	-
3/32" dia					
3/16	100	-	-	4415-736	24.78
1/4	100	-	-	4415-739	24.90
5/16	100	-	-	4415-742	25.02
3/8	100	-	-	4415-745	25.25
7/16	100	-	-	4415-748	26.09
1/2	100	3185-080†	6.67	4415-751	26.57
5/8	100	3185-085†	6.75	4415-754	27.05
3/4	100	3185-090†	6.83	4415-757	27.29
7/8	100	3185-095†	7.78	-	-
1	100	3185-100†	8.00	4415-763	27.53
1/8" dia					
1/4	100	3185-105†	4.37	-	-
3/8	100	3185-110†	5.19	4415-802	25.74
1/2	100	3185-115†	5.29	4415-808	14.68
5/8	100	-	-	4415-811	26.32
3/4	100	-	-	4415-814	15.53
7/8	100	3185-130†	5.87	4415-817	29.85
1	100	-	-	4415-820	18.24
1-1/8	100	3185-140†	6.49	-	-
1-1/4	100	3185-145†	6.95	4415-826	18.70
1-3/8	100	3185-150†	9.29	-	-
1-1/2	100	-	-	4415-832	21.61
1-3/4	100	3185-160†	8.70	4415-835	23.59
2	100	3185-165†	10.52	4415-838	46.06
3/16" dia					
1/2	100	3185-175†	6.13	4415-841	27.73
5/8	100	-	-	4415-844	28.44
3/4	100	-	-	4415-847	17.18
7/8	100	3185-190†	7.16	4415-850	32.44
1	100	3185-195†	7.37	4415-853	19.04
1-1/4	100	3185-205†	8.43	4415-859	21.15
1-1/2	100	-	-	4415-865	23.40
1-3/4	100	3185-225†	10.67	4415-868	46.19
2	100	3185-230†	12.44	4415-871	51.35
1/4" dia					
1/2	100	-	-	4415-874	17.51
5/8	100	-	-	4415-877	32.78
3/4	100	-	-	4415-880	18.77
7/8	100	3185-250†	9.71	4415-883	36.43
1	100	3185-255†	10.22	4415-886	21.02
1-1/4	100	-	-	4415-892	40.66
1-1/2	100	-	-	4415-898	25.64
1-3/4	100	-	-	4415-901	51.59
2	100	-	-	4415-904	32.12
2-1/4	100	3185-290†	18.40	4415-907	69.68
2-1/2	100	3185-295†	21.44	4415-910	70.98

† Limited Quantities

						
DIA.	ALLOY STEEL			ALLOY STEEL		
LENGTH OVER- ALL	ORDER NO.	QTY PER BOX	PRICE PER BOX	ORDER NO.	QTY PER BOX	PRICE PER BOX
5/16" dia						
1/2	3185-300†	100	\$11.86	4415-919	100	\$38.31
5/8	3185-305†	100	12.27	4415-922	100	40.19
3/4	-	-	-	4415-925	100	23.33
7/8	3185-320†	100	13.30	4415-928	100	42.51
1	-	-	-	4415-931	100	23.99
1-1/8	3185-330†	100	14.33	-	-	-
1-1/4	-	-	-	4415-937	100	26.57
1-1/2	-	-	-	4415-943	100	29.74
1-3/4	3185-350†	50	10.02	4415-946	100	64.17
2	3185-355†	50	11.47	4415-952	100	38.93
2-1/4	3185-360†	50	12.53	-	-	-
2-1/2	-	-	-	4415-958	100	86.13
3	-	-	-	4415-961	100	102.95
3/8" dia						
1/2	3185-375†	100	15.84	4415-967	20	9.40
5/8	-	-	-	4415-970	20	9.75
3/4	-	-	-	4415-973	20	5.63
7/8	3185-390†	100	18.57	4415-976	20	10.27
1	3185-395†	100	19.46	4415-979	20	5.86
1-1/4	-	-	-	4415-985	20	6.28
1-1/2	3185-410†	100	25.37	4415-991	20	7.14
1-3/4	3185-415†	50	14.67	4415-994	20	14.57
2	3185-420†	50	15.79	4415-997	20	9.01
2-1/4	3185-425†	50	18.90	4416-000	20	17.53
2-1/2	3185-430†	50	19.86	4416-003	20	11.24
3	3185-440†	50	25.40	4416-009	20	13.87
7/16" dia						
1	3185-455†	50	17.73	4416-021	20	19.34
1-1/4	3185-460†	50	18.83	-	-	-
1-1/2	3185-465†	50	19.78	4416-027	20	22.35
2-1/2	3185-485†	50	32.00	-	-	-
3	3185-495†	50	37.33	-	-	-
1/2" dia						
3/4	3185-505†	20	7.12	4416-051	20	20.71
1	3185-520†	20	8.00	4416-057	20	12.33
1-1/4	3185-525†	20	8.48	4416-060	20	23.36
1-1/2	3185-530†	20	9.20	4416-063	20	13.96
1-3/4	3185-540†	20	10.56	4416-066	20	26.42
2-1/4	3185-550†	20	13.02	4416-072	20	33.02
2-1/2	3185-555†	20	14.90	4416-075	20	19.91
3	3185-565†	20	16.48	4416-081	20	42.12
3-1/2	3185-570†	20	20.41	-	-	-
5/8" dia						
1-1/4	3185-585†	10	8.10	4416-099	10	18.79
1-1/2	-	-	-	4416-102	10	19.55
1-3/4	3185-595†	10	10.42	4416-106	10	22.67
2	3185-600†	10	10.84	4416-108	10	24.54
2-1/4	3185-605†	10	11.56	-	-	-
2-1/2	-	-	-	4416-114	10	28.88
3	-	-	-	4416-120	10	19.27
4-1/2	3185-630†	10	24.51	-	-	-
3/4" dia						
1-3/4	3185-645†	10	15.87	-	-	-
2	3185-650†	10	16.35	-	-	-
4	3185-675†	10	33.50	-	-	-
1" dia						
2	3185-695†	10	34.67	-	-	-

Maintenance Kits

Cotter Pins



Contents:

130	1/16" x 1"
100	1/8" x 1-1/4"
80	1/8" x 2"
150	3/32" x 1"
100	3/32" x 1-3/4"
40	5/32" x 2-1/2"

Strong and flexible zinc plated steel pins with one prong extended for easy insertion and bending. Pins also have chisel point ends.

PIECES	ORDER NO.	PRICE EACH
600	3237-605	\$55.55

E-Clips



Contents:

30	1/8"	30	3/8"
20	5/32"	25	7/16"
30	3/16"	20	1/2"
20	7/32"	15	5/8"
30	1/4"	10	3/4"
30	5/16"	5	7/8"

External clips made of carbon steel to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods.

PIECES	ORDER NO.	PRICE EACH
265	3237-610	\$54.36

Roll Pins



Contents:

1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", and 3/8" diameters. Four lengths included for each diameter.

Made of flexible spring steel, cold rolled, hardened and tempered. Chamfered ends simplify insertion.

PIECES	ORDER NO.	PRICE EACH
300	3237-625	\$64.83

Hitch Pin Clips



Contents:

60	1/16"	#18
30	3/32"	#3
20	3/32"	#7
20	1/8"	#16
15	5/32"	#10
5	3/16"	#6

Reusable, quick release pins for fast assembly and disassembly. Made of spring steel to maintain tension.

PIECES	ORDER NO.	PRICE EACH
150	3237-615	\$51.88

Housing Rings



Contents:

15	1/2"	10	1-1/16"
15	5/8"	10	1-1/8"
15	11/16"	10	1-1/4"
15	3/4"	5	1-3/8"
15	13/16"	5	1-1/2"
15	7/8"	5	1-5/8"
10	1"	5	1-3/4"

Internal rings with tapered design maintains constant pressure to prevent slippage of axles, gears and bearings inside machinery housing.

PIECES	ORDER NO.	PRICE EACH
150	3237-620	\$59.98

Set Screws



Contents:

10	6-32 x 3/16"
10	8-32 x 3/16"
10	10-24 x 1/4"
30	1/4-20 x 1/4"
20	1/4-28 x 1/4"
20	1/4-20 x 3/8"
30	5/16-18 x 3/8"
20	5/16-24 x 3/8"
20	5/16-18 x 1/2"
10	3/8-16 x 3/8"
10	3/8-24 x 3/8"
10	3/8-16 x 1/2"

High grade alloy steel set screws with hexagon recessed heads. Ends have cup points for positive torque.

PIECES	ORDER NO.	PRICE EACH
200	3237-650	\$56.76

O Rings



Contents:

140 pieces of 1/16" body, 80 pieces of 3/32" body, and 80 pieces of 1/8" body. Various sizes are included for each body size.

Made of BUNA-N 70 durometer rubber compound. Creates a tight seal for fluid or gas connections.

PIECES	ORDER NO.	PRICE EACH
300	3237-630	\$86.73

Snap Rings



Contents:

30	1/4"	30	5/8"
20	5/16"	35	3/4"
50	3/8"	10	13/16"
20	7/16"	20	7/8"
50	1/2"	10	1"
20	9/16"	5	1-1/4"

External, spring steel snap rings used to retain pulleys, gears or wheels on shafts.

PIECES	ORDER NO.	PRICE EACH
300	3237-600	\$62.75

Machinery Keys




Contents:

3	1/8" x 1/8" x 3/4"	5	1/4" x 1/4" x 1-1/4"
3	1/8" x 1/8" x 1"	5	1/4" x 1/4" x 1-1/2"
5	3/16" x 3/16" x 3/4"	5	5/16" x 5/16" x 1-1/4"
5	3/16" x 3/16" x 1"	5	5/16" x 5/16" x 1-1/2"
5	3/16" x 3/16" x 1-1/4"	5	3/8" x 3/8" x 1-1/4"
5	1/4" x 1/4" x 3/4"	5	3/8" x 3/8" x 1-1/2"
		2	1/2" x 1/2" x 1-1/2"

Zinc plated steel, square keys have chamfered ends for easy insertion into keyways.

PIECES	ORDER NO.	PRICE EACH
58	3237-655	\$85.91

Socket Head Cap Screws



Contents:

10	6-32 x 1/2"	10	10-24 x 1"
10	6-32 x 1"	10	1/4-20 x 1/2"
10	8-32 x 1/2"	10	1/4-20 x 3/4"
10	8-32 x 3/4"	10	1/4-20 x 1"
10	8-32 x 1"	10	1/4-20 x 1-1/4"
10	10-32 x 1/2"	10	1/4-20 x 1-1/2"
10	10-32 x 3/4"	10	1/4-28 x 3/4"
10	10-32 x 1"	10	1/4-28 x 1"
10	10-32 x 1-1/4"	10	1/4-28 x 1-1/4"
10	10-24 x 1/2"	10	1/4-28 x 1-1/2"

High grade alloy steel socket head screws with hexagon recessed heads.

PIECES	ORDER NO.	PRICE EACH
190	3237-670	\$60.22