# FLUIDS & MARKERS

Hazardous materials shipments are subject to governmental regulation and must comply with the Department of Transportation Hazardous Materials Regulations, Title 49 of the Code of Federal Regulations and United Parcel Service Hazardous Materials Service rules. All shipments of chemicals and fluids are subject to these regulations.





















ANTI-SEIZE & LUBRICATING COMPOUNDS









SPECIALIST.

LUBRICANTS & PENETRANTS











simple green\* INDUSTRIAL CLEANERS/ DEGREAGERS







The Shipping Code identifies the shipping methods allowed and if surcharges are applicable. Surcharges are in addition to UPS freight charges and are subject to change. Hazardous materials cannot be shipped in the same container with non-hazardous materials and cartons cannot be bound together. Hazardous materials will not be shipped via air. All small package shipments of chemicals and fluids with a shipping code will be shipped via UPS prepaid and add, collect, or third party.

#### **Shipping Codes**

- 1 UPS Ground Hazmat Surcharge applies per box No Air Shipments
- 2 UPS Ground No Surcharge No Air Shipments
- 3 Commercial Truck Only, Call for Charges
- 4 UPS Ground Add'tl. Charges Apply No Air Shipments

Anti-Seize
Cleaners
Coatings
Coolants
Corrosion Preventatives 495
Cutting Fluids 504
Degreasers
Etching Kits 488
Fault Finder 489
Grease 499
Layout Fluids & Stains 489
Lubricants
Markers485-487
Oils 500
Paint
Penetrants
Pipe Compound & Tape 501
Sealants 501
Threadlockers502
IIII CAAIOCACI JIIII III III JUL

#### **Markers**

#### **Brite-Mark® Paint Markers**



- Permanently marks on metal, rubber, plastic, glass, concrete, stone, vinyl, & more
- · Valve action mechanism prevents paint in barrel from drying when cap is left off
- Replaceable felt tips assure complete use of paint in each marker
- Ideal for color coding
   Drying time: 25-35 seconds
   Case quantity: 24 Shipping Code: 2

COLOR	MEDIUM TIP	PRICE	44 TIP	PRICE
	Order No.	Each	Order No.	Each
Black	9520-616	\$4.72	9522-003	\$5.44
White	9520-617	4.72	9522-006	5.44
Blue	9520-615	4.72	9522-001	5.44
Light Blue	9520-635	4.72	-	-
Yellow	9520-618	4.72	9522-005	5.44
Orange Red Green Pink Violet	9520-619 9520-620 9520-621 9520-636 9520-637	4.72 4.72 4.72 4.72 4.72	9522-007 9522-002 9522-004 -	5.44 5.44 5.44 - -
Silver	9520-638	4.72	-	-
Gold	9520-639	4.72	-	
Brown	9520-640	4.72	-	

#### Rinz-Off® & Sudz-Off® Removable Markers



- · Rinz-Off® marks rinse off of untreated metal with water
- Sudz-Off<sup>®</sup> marks are removable with a detergent of pH 10 or higher
- · No ghosting or bleed-through of removed mark when painted over
- Ideal for quality control, part assembly, identification, site inspection, and more
- Drying time: 45 seconds-1 minute Will not react with paint systems

#### Shipping Code: 2

COLOR	RINZ-OFF Order No.	PRICE Each	SUDZ-OFF REG. ORDER NO.	PRICE Each	SUDZ-OFF BROAD ORDER NO.	PRICE Each
Blue Red Green Black	9522-265 9522-266 9522-267	\$6.05 6.05 6.05	9522-278 9522-279 9522-276 9522-280	\$5.12 5.12 5.12 5.12 5.12	9522-249 9522-250 9522-247 9522-251	\$6.05 6.05 6.05 6.05
White Yellow	-	-	9522-275 9522-277	5.12 5.12	9522-246 9522-248	6.05 POA

#### **High Temperature Texpen®**



DYKEM® High Temperature TEXPEN® has a stainless steel-ball valve action tip and heavy viscosity, oil-based paint that is specially formulated for non-porous surfaces that reach temperatures up to 2000° F/1093°C. Marks become permanent and fused when heated. **Shipping Code: 2** 

COLOR	TEMP.	MEDIUM TIP	PRICE	FINE TIP	PRICE
	Range	Order No.	Each	ORDER NO.	Each
Black	2000°F	9522-137	POA	9522-127	POA
White	800-900°F	-	-	9522-130	POA



#### Texpen® & Dalo® Markers



- · Marker will easily mark through oil and grease
- · Paint flow is controlled by the bulb at the end of the barrel
- Drying Time: 25-35 minutes Shipping Code: 2

#### Texpen®

COL	R	MEDIUM TIP Order No.	PRICE Each	FINE TIP ORDER NO.	PRICE Each	BROAD TIP Order No.	PRICE Each
Blu Re	-	9522-025 9522-026	\$7.08 7.08	-	-	- 9522-036	_ POA
Blac	:k	9522-027	7.08	9522-017	POA	-	-
Gree Yello		9522-028 9522-029	7.08 7.08	9522-018 9522-019	POA 7.08	-	-
Whi Oran		9522-030 9522-031	7.08 7.08	9522-020 -	7.08 -	-	-

#### Dalo®- Extra Large Capacity



- Writes through oil, grease and underwater without losing legibility or brightness.
- Write on any surface including metal, plastic, glass, concrete, rubber and more
- Drying Time: 25-35 minutes
   Shipping Code: 2

COLOR	MEDIUM TIP Order No.	PRICE Each	BROAD TIP Order No.	PRICE Each
Blue	9522-055	\$8.97	-	-
Red	9522-056	8.97	-	-
Black	9522-057	8.97	9522-067	POA
Green	9522-058	8.97	-	-
Yellow	9522-059	8.97	9522-069	POA
White	9522-060	8.97	9522-070	POA

#### **High Temperature Action Markers®**



- High Temp. Action Markers use a pigmented, oil-based fiber tip that are specially formulated for nonporous surfaces that can reach temperatures of up to 2000°F/1093°C.
- Marks become permanent and fused when heated.

Shipping Code: 2

COLOR	RANGE	ORDER NO.	PRICE EACH
Blue	2000°F	9522-241	\$8.62
White	1550-1650°F	9522-242	8.62
Black	2000°F	9522-243	8.62
Green	1800°F	9522-244	8.62
Yellow	800-900°F	9522-245	8.62

#### **High Purity Texpen® & Action Markers**



The DYKEM® High Purity TEXPEN® contains trace amounts of halogens, low melting metals and very low in chlorides. Therefore, its stainless steel-ball valve action tip can be used on surfaces where degradation, contamination or adverse effects are not desired.

DYKEM® High Purity Action Markers use dye and pigment-based ink with a valve action fiber tip that will write on smooth surfaces. **Shipping Code: 2** 

COLOR	TXP MED. TIP	PRICE	AM 44	PRICE
	Order No.	Each	Order No.	Each
Red	-	-	9522-236	\$9.83
Yellow	-		9522-240	9.83
Blue	-		9522-238	9.83
White	9522-100	\$10.74	9522-239	9.83
Black	-	-	9522-237	9.83

# Markal 6

#### Valve Action® Paint Marker




- Paint formulated for industrial applications.
- · Dries in minutes, weather-resistant marks.
- Ideal for all surfaces: metal, glass, wood, rubber, plastic, cardboard, and paper.
- · Replaceable valve-action fiber tip assures full use of marker.
- · Available in 14 vivid colors for color coding.
- Typical uses: metal and PVC pipe, sheet metal. cartons, lumber, signs, and tires.
- Marking range: -50°F. to 150°F.

**PACKAGE QUANTITY: 1 CASE QUANTITY: 48** SHIPPING CODE: 2

201.00	ORDER	
COLOR	NO.	EACH
White	6496-820	\$3.15
Yellow	6496-821	3.15
Red	6496-822	3.15
Black	6496-823	3.15
Orange	6496-824	3.15
Blue	6496-825	3.15
Green	6496-826	3.15
Aluminum	6496-832	3.22
Lt. Blue	6496-835	3.15
Purple	6496-817	3.15
Brown	6496-809	3.15
Gold	6496-827	3.22
Fir. Yellow	6497-050	3.22
Fir. Green	6497-051	3.22
Fir. Orange	6497-052	3.22
Flr. Pink	6497-053	3.22
Inv. Blue	6497-054	3.22
Lt. Green	6496-828	3.15
Pink	6496-830	3.15

#### **DURA-INK** #55 Med. Taper Chisel





- · Ergonomic design for extended use
- •Ink formulated for industrial strength usage
- •Versatile tapered chisel tip for 1/16" and 3/16" marks
- ·Long mileage, economical
- ·Smear-resistant, water-resistant, fast drying
- ·Marks on cardboard, ceramics, paper, lumber, cloth, glass, rubber, and steel
- Durable cap w/pocket clip and plastic barrel for industrial use

PACKAGE QUANTITY: 1 CASE QUANTITY: 48



#### **PRO-LINE® Paint Marker**



- Available in Fine (2mm) & Micro (1mm) tip sizes for ultimate precision.
- •Ideal for metal, also suitable for wood, glass, plastic, rubber, and other surfaces.
- · High-Strength, lightweight barrel for industrial use.
- · Xylene-free for less odor.
- · Self-storing cap with integrated pocket clip.
- · Ergonomic design for comfortable extended use.

SHIPPING CODE: 2 **PACKAGE QUANTITY: 1 CASE QUANTITY: 48** 

#### Micro Line (1mm)

1111010		<u> </u>
COLOR	ORDER No.	PRICE Each
	6496-888	
Black Red	6496-890 6496-891	

#### Fine Line (2mm)

COLOR	ORDER No.	
White	6496-871	\$3.32
Yellow	6496-872	3.32
Black	6496-873	3.32
Red	6496-874	3.32
Blue	6496-875	3.32
Green	6496-876	3.32
Orange	6496-877	3.32
Pink	6496-878	3.32
Lt. Green	6496-879	3.32

COLOR	ORDER No.	
White	6496-871	\$3.32
Yellow	6496-872	3.32
Black	6496-873	3.32
Red	6496-874	3.32
Blue	6496-875	3.32
Green	6496-876	3.32
Orange	6496-877	3.32
Pink	6496-878	3.32
Lt. Green	6496-879	3.32

### **URA-INK**\* #200 Broad Chisel Tip





- •Extra wide chisel tip for 5/8" and 3/8" marks
- · Jumbo ink supply for greater mileage
- ·Use on cardboard, wood, metal, paper, ceramics, glass, and leather.
- · For identification of equipment, signs, and marking shipping cartons
- · Durable cap and barrel for heavy-duty use

PACKAGE QUANTITY: 1 CASE QUANTITY: 24

COLOR	ORDER No.	PRICE Each
Green	6496-914	\$4.15
Blue	6496-915	4.15
Red	6496-916	4.15
Black	6496-917	4.15

Mark Size:

### **OURA-INK**\*#15 Fine Bullet Tip

- ·Ideal for fine line marking. · Extra tough tip, won't spread or mush.
- ·Smear-resistant, water-resistant, fast drying.
- · Marks on metal, wood, cardboard, paper, plastic, glass, etc.
- · For identification of parts, layout work, and marking cartons and crates.
- · Available on blister card for point-of-purchase display.
- •Meets U.S. Fed. Spec. TT-1-544

PACKAGE OTY.: 1 CASE OTY.: 12



	ORDER	PRICE	
COLOR	NO.	EACH	
	6496-022	\$1.16	
Black	6496-023	1.16	

COLOR	ORDER NO.	PRICE Each
Blue	6496-025	\$1.16
Green	6496-026	1.16

#### PRO-MAX® Paint Marker



- •Super-sized 1/2"+ nib for highly visible marks.
- · High strength, lightweight barrel for industrial use.
- •Ideal for identification, fill-in marking, signage, safety marking on any surface. • Xylene-free for less odor.

PACKAGE QUANTITY: 1 CASE QUANTITY: 24 **Shipping Code: 2** 



COLOR	ORDER No.	PRICE Each
White	6490-900	\$7.28
Yellow	6490-901	7.28
Red	6490-902	7.28
Black	6490-903	7.28
Orange	6490-904	7.28
Blue	6490-905	7.28







- Mark Size: 1/16" (1.5 mm) Xylene-free formula for safe use
- One-handed, push button operation eliminates lost caps and prevents ink dryout
  - · Fast-drying, wear and water-resistant formula for long-lasting marks
- Industrial-grade fine bullet tip will not spread or mush
- Auto-storing clip instantly retracts tip to reduce mess or tip damage

COLOR	ORDER No.	PRICE Each
Black	6496-575	\$1.94
Red	6496-576	1.94


#### PRO-LINE® XT



- Mark Size: 1/8" (3 mm)
- Engineered for continuous and highly-visible marking on rough, rusty, and dirty surfaces
- Enamel paint for extreme durability and enhanced wear/weather/chemical-resistance
- Xylene-free paint reduces user health risks and eliminates California Proposition 65, EPS HAPS, and SARA 313 concerns in the U.S.A.
- Marking range: -50°F to 150°F (-46°C to 66°C)

**Shipping Code: 2** 


PACKAGE QUANTITY: 1 **CASE QUANTITY: 48** 



DU	RA-I	NK	#25	<b>Medium</b>	Chisel	Tip
						•







• For identification of equipment, marking shipping cartons, and sign making.

· Heavy-duty metal barrel. • Meets Fed. Spec. TT-1-544.

PACKAGE OTY.: 1 CASE OTY.: 48



Red 6496-222 \$2.87 Black 6496-223 2.87

#### Markers

#### H® Paintstik®

- · Highly visible marking for hot surfaces.
- · Mark hot coils, slabs, billets, bars, ingots, etc.
- · Marks will not run, char, discolor, peel or crack.
- · Long-lasting, weather-resistant, fade-resistant.
- •Unit packaging: 144 of a single color to a case. Plus 1-#100 holder.
- •Marking range: 150°F. to 1200°F.

White 6481-020C \$199.06

CASE QUANTITY: 144 **SOLD IN CASE QTY. ONLY** 

#### HT® Paintstik®

- •Ideal for hot coils, slabs, billets, castings or other metals under higher temperature marking conditions.
- . The marks will not run, char, discolor, peel or crack.
- · Long-lasting, weather-resistant, fade-resistant.
- •Unit packaging: 144 of a single color to a case. Plus 1-#100 holder.
- •Marking range: 250°F. to 1600°F.

#### 3/8" x 4-1/2"

COLOR	ORDER No.	PRICE/ CASE
White	6481-220C	\$218.12

MARKAL

CASE QUANTITY: 144 SOLD IN CASE OTY, ONLY

#### Paintstik® Holder

- For use with Markal H® and HT® hot surface solid paint markers.
- . Durable holder prevents breakage, protects marker during use and ensures long marking life
- 4" Wooden Holder #100 Order No. 6485-500 Price Each \$2.97

#### M® Paintstik®



- · Marks withstand quenching in water or oil.
- ·For welds, ingots, castings,
- forging, annealed parts.
- Unit packaging:
- 12 of one color to a box.
- Marking at room temperature; withstands 1600°F.

#### 11/16" x 4-3/4"

		PKG.		ORDER No.	PKG.
White	6481-920	\$26.82	Red	6481-922	\$26.82
Yellow	6481-921	26.82	Black	6481-923	26.82

PACKAGE QUANTITY: 12

**CASE QUANTITY: 144** 

#### WS-3/8"® Paintstik®



3/8" x 4-1/4"

#### . Temporary cold marking-water soluble for easy removal.

- Small diameter for finer marking.
   Mark acrylic plastic plotting boards, plastic parts, glass, painted metal, sheet steel, polished aluminum, car bumpers and exotic metals.
- Unit packaging: 36 of one color to a box.
  Marking range: -50°F. to 150° F.

PACKAGE QUANTITY: 12 CASE QUANTITY: 144

COLOR	ORDER No.	PRICE/ PKG.
White Yellow	6482-420 6482-421	24.18
Red Black	6482-422 6482-423	24.18 24.18

#### PRO-EX® **Lumber Crayons**

# Markal Pro-EX

- •The clay-based "feel"that high-volume users prefer
- Superior performance on wet wood
- Stronger formula for reduced breakage
- Standard 1/2" hex shape fits the #109 Peterson holder, also #106 & #108 holders • Marking range: -20°F to 130° PACKAGE QUANTITY: 12 CASE QUANTITY: 144

COLOR	ORDER No.	PRICE/ PKG.
Yellow	6480-381	\$11.82
Red	6480-382	
Black	6480-383	11.82
Blue	6480-385	11.82

**Lumber Crayon Holders** 

6" Heavy-Duty Metal Holder #108 Order No. 6485-400 Price Each \$16.53

5" Double End Locking Holder #106 Order No. 6485-401 Price Each \$18.88



#### **Carpenter's Pencils**

Markal medium carpenter pencils are premium quality wood-cased pencils ideal for marking wood, concrete, and other surfaces. Order No. 6496-928 Price Each \$0.85



#### **B® Paintstik®**

- All-purpose, cold surface marker.
   Real paint in stick form, dries overnight.
- Marks on any surface or material.
- · Marks through oil and water film. · Weather-resistant and fade-resistant.
- •Ideal for layout, inspection or fabrication.



Markal, 6

#### 11/16" x 4-3/4"

- · Marks on metal, wood, plastic, concrete,
- rubber, glass, cardboard and paper
- Unit packaging: 12 of one color to a box.
  Marking range: -50°F. to 150° F.

COLOR	ORDER No.	PRICE/ PKG.		ORDER No.		COLOF	ORDER R No.	PRICE/ PKG.
White	6480-220	\$14.65	Blue	6480-225	\$14.65	Gray	6480-230	\$14.65
Black	6480-223	14.65	Green	6480-226	14.65	Gold	6480-231	28.24
Yellow	6480-221	14.65	Pink	6480-227	14.65	Alumin	um 6480-232	28.24
Red	6480-222	14.65	Purple	6480-228	14.65	Silve	r 6480-233	28.24
Orange	6480-224	14.65	Brown	6480-229	14.65			

PACKAGE QUANTITY: 12

**CASE QUANTITY: 144** 

#### Quik Stik® & Quik Stik® Mini



- Fast-drying, vibrant paint marks dry in 5 to 7 minutes
- Marks on virtually any surface: wet, smooth, rough, or hot
- Airtight, self-storing cap keeps the marker clean and fresh between uses
- Weather- and UV-resistant paint for long-lasting mark
- · Solid paint marker advances and retracts by turning twist-up knob
- Marking range: 0°F to 392°F (-18°C to 200°C)

#### Ouik Stik®

COLOR	ORDER NO.	PRICE Each			
White	6461-051	\$5.56			
Yellow	6461-053	5.56			
Red	6461-049	5.56			
Black	6461-050	5.56			

**PACKAGE QUANTITY: 1 CASE QUANTITY: 72** 

#### Ouik Stik® Mini

COLOR	ORDER No.	PRICE/ Each
White Yellow Red Black	6461-126 6461-127 6461-128 6461-129	\$2.99 2.99 2.99 2.99

PACKAGE QUANTITY: 1

**CASE QUANTITY: 48** 

#### Railroad Chalk

- •Ideal for making temporary marks on most surfaces.
- Marks on metal, wood, concrete, cardboard, rubber, plastic, etc.
  Easy-to-hold 4" x 1" tapered shape makes broad,
- easy-to-read marks.

PACKAGE QUANTITY: 144 CASE QUANTITY: 576

J	COLOR	ORDER No.	
	White	6480-500	\$38.12
	Yellow	6480-501	38.12
	Red	6480-502	38.12
	Blue	6480-505	38.12
	Green	6480-506	38.12

#### Soapstone Markers

- For temporary marking of metal surfaces during fabrication operations.
- Made of all natural soapstone for superior marking
- Marks will not contaminate welds and are easily removed.
- · Available in flat, round and square shapes
- Holders available for the flat and round sizes.

#### SOAPSTONE MARKERS

SIZE	ORDER No.	PKG.
5 x 1/2 x 3/16 Flat	6480-129	\$36.00
5 x 1/4 Round	6480-130	36.00

PACKAGE OTY: 144 CASE OTY: 432

#### **HOLDERS FOR SOAPSTONE MARKERS**

	ORDER No.	EACH
5 x 1/2 x 3/16 Flat 5 x 1/4 Round	6480-140	\$6.01
5 x 1/4 Round	6480-141	6.01

PACKAGE OTY: 1 CASE OTY: 12

#### **Thermomelt® HEAT STIK**



- Accurate to ±1% rated temperature.
- Meets ANSI/ASME Code B32.1, B31.3, AWS D1.1, ASME Code Sec. I, II, III, & VII, NIST traceable.
- •33% bigger and stronger, same proven reliability. Industry's longest-lasting heat stick by design. · Gravity advance holder protects stick, and
- prevents slipping back inside.

   Melts instantly when surface reaches rated temps
- Other temps available in package quantities.
- 200 93 6486-517 \$11.43 250 300 6486-562 11.43 121 149 6486-625 11.43 11.76 177 6486-697 350 400 6486-733 11.76 6486-805 12.10

PACKAGE QTY: 1 CASE QTY: 12

### **Coatings & Marking Kits**

# PRECISION BRAND.

#### ABC Blackener® 2

- · A cosmetic blackener for most non-ferrous metals
- ABC Blackener® works on aluminum, brass, and copper
- Once quart of ABC Blackener® covers 30-40 sq. ft.,
- depending on application techniqueMay be applied by immersion, or
- brush-on techniqueNo special ventilating system required
- Should be applied at room temperature
- Single cans available
- ABC Blackener® cannot be shipped via air transportation Shipping code: 2

DESCRIPTION

**One Complete ABC Blackener Kit** 

(1 each: 1 qt. ABC Blackener & ABC Sealant) One qt. ABC Blackener

One qt. ABC Sealant

Complete kit contains: one 1-quart bottle of ABC Blackener® one 1-quart bottle of ABC Sealant®



PRICE Each

109.68

3234-005 \$ 219.41

3234-007

3234-008

To	ol	BI	a	CK®	Lic	Į	ui	d	

- Fast, inexpensive alternative to black oxide
- Imparts a tough, dull black protective finish to most ferrous metal parts (not stainless steel)
- Ideal for prototypes, repair parts and general machine work
   Liquid solution used on small immersible parts
- One pint of Tool Black® Liquid has the capacity to blacken 25-35 square feet of surface area, coverage varies with application technique
- Should be done at room temperature as a cold application

Complete kit consists of: 1 pt. Metal Polish/Cleanser 1 pt. Tool Black® Liquid 1 pt. Prevent®



2

DESCRIPTION	CASE	ORDER	PRICE
	QTY.	Number	Each
1 Complete Tool Black Liquid Kit (1 each: Tool Black, Prevent, & Cleaner-Degreaser)	1 Kit	3234-013	\$158.41
One qt. Tool Black Liquid	6 btls.	3234-001	91.28
One Pint Tool Black Liquid	6 btls.	3234-011	57.98
One Pint Prevent	6 btls.	3234-012	87.69
One Pint Metal Polish/Cleanser	6 btls.	3234-010	29.70

#### **Hot Melt Coating** 2

- Hot Melt Strippable Protective coating protects tools, gauges, and metal parts from nicks, corrosion, and abrasions during storage and shipping
- · Packed in convenient 5 lb. bags
- Five transparent colors: amber, clear, red, green, and blue
- Poly bag packing for easy handling and storage
- Easy to use, coating is presliced into manageable pieces
- Other colors and types available on special order
- Set time is less than 60 seconds
- To remove, coating peels right off

	5 LB.	BAG	30 LB. CASE*		
COLOR			ORDER No.		
Amber	3236-600	\$98.30	3236-605	\$589.69	
Clear	3236-601	98.30	3236-606	589.69	
Red	3236-602	98.30	3236-607	589.69	
Green	3236-603	98.30	3236-608	589.69	
Blue	3236-604	98.30	3236-609	589.69	

TYPE 1

43020 5 LBS

\*One color

# **Etch-O-Matic**

QTY.

1 Kit

6 bottles

6 bottles

#### **SUPER INDUSTRIAL KIT**

Everything You Need To Etch Any Metal



Each Kit Contains: a Super and a Regular Etch-O-Matic along with: an Adapter Clip for deep etch marking, ground plate, 8 oz. of General Purpose & Stainless Steel electrolyte, 2 - 100 pk stencils, 4 oz. of Aluminum, Black Oxide, and Brass, Copper, Bronze electrolyte, Ig. 2 x 4" grid, pk of Ig. felt pads, pk of 25 Ig. Stencils 8 oz. Neutralizer, 2 Neutralizer Pwd pks, 1 reg. grid and instructions.

Order No. 3257-032 Price Each: \$382.95

1

	ETCH-O-MATIC SUPPLIES	ORDER No.	PRICE Each
	16 oz. Bottle Electrolyte - Aluminum	3257-022	\$16.45
	16 oz. Bottle Electrolyte - Brass & Copper	3257-023	14.45
	16 oz. Bottle Electrolyte - Black Oxide	3257-024	14.45
	16 oz. Bottle Electrolyte - General Purpose	3257-025	14.45
۱	16 oz. Bottle Electrolyte - Stainless Steel	3257-026	14.45
	16 oz. Bottle Neutralizer - Cleaner	3257-028	12.45
	Powder Pak Neutralizer - Cleaner	3257-029	8.95
	Regular Pad Refill Kit	3257-004	12.95
	Stencils 3" x 2-1/4" 50 p/pk	3257-005	16.95
	Stencils 3" x 2-1/4" 100 p/pk	3257-006	21.95
	Stainless Steel Grid Plate w/Screws	3257-008	12.95

# **Etch-O-Matic**

#### **STARTER KIT**

Lowest Priced Kit Available Anywhere! YET IT DOES THE JOB



Each Kit Contains: an ETCH-0-MATIC Marker, (Note - standard marker head size 7/8" x 1-3/4") with electrical cord, ground plate, 2 oz. electrolyte solution in plastic bottle, 10 special stencils, neutralizer and deep etching Adapter Clip. Each kit will mark approximately 1,000 tools.

Order No. 3257-002 Price Each: \$98.95 1

# **Etch-O-Matic**

HEAVY DUTY- INDUSTRIAL SUPER ETCH-O-MATIC KIT

Best Value on the Market Today!



15 Volts - 10 Amps 7 TIMES MORE POWER

Use on Production lines for Continuous Duty Fast Marking - for Deep Etch Marking down to .003" - for Large Marks up to 2" x 4" - (even Trademarks) for Black Oxide coatings and for all in-plant marking.

Each Kit Contains: 1 - 15 volt - 10 amp Marker unit with transformer, Adapter Clip for deep etch marking, ground plate, 8 oz. General Purpose electrolyte, 8 oz. Neutralizer, pak. felt pads, 100 special stencils and Plastic Carrying Case.

Order No. 3257-000 Price Each: \$282.95

### **Layout Dyes, Stains, & Removers**

Layout Fluids

DYKEM Steel Blue® is the world's leading and best-known layout fluid. Additional colors provide you with the layout fluid that is most effective for your application.

- · Prevents glare with a uniform, deep color.
- · Dries in two to four minutes.
- · Lets you scribe sharp, clear precise lines.
- · Reduces eyestrain.
- · Translucent.

Shipping Code: 2



PRODUCT	DESCRIPTION	CONTAINER Size	CASE QTY.	ORDER No.	PRICE Each
Steel Blue	Aerosol Spray	16 oz.	12	9520-500	\$ 17.64
Steel Blue	Felt Tip Applicator Fluid	2 oz.	12	9520-501	9.41
Steel Blue	Brush-In-Cap Fluid	4 oz.	12	9520-502	11.33
Steel Blue	Brush-In-Cap Fluid	8 oz.	12	9520-503	15.68
Steel Blue	Fluid	930 ml.	12	9520-505	28.00

PRODUCT	DESCRIPTION	CONTAINER Size	CASE QTY.	ORDER No.	PRICE EACH
Steel Red	Aerosol Spray	16 oz.	12	9520-510	\$ 18.89
Steel Red	Felt Tip Applicator Fluid	2 oz.	12	9520-511	9.41
Steel Red	Brush-In-Cap Fluid	4 oz.	12	9520-512	11.33
Steel Red	Brush-In-Cap Fluid	8 oz.	12	9520-513	15.68
Steel Red	Fluid	930 ml.	12	9520-515	28.00

#### Remover & Thinner™

Ideal for surface preparation, as well as removing layout fluids and staining colors. May also be used to dilute staining colors.

- · Thoroughly cleans and prepares metal surfaces.
- · Removes dirt, grease & oil from metals, most plastics and glass.
- Does not contain 1,1,1-trichloroethane.



SHIPPING CODE	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
2	16 oz. Aerosol	12	9520-535	\$ 17.33
2	930 ml (formerly 1 qt.)	12	9520-537	19.95
1	1 gallon	4	9520-538	57.27
1, 4	5 gallon	1	9520-539	248.14
3	55 gallon	1	9520-540	2736.85

#### Hi-Spot®

The ideal way to identify high spots on bearings and gear surfaces.

· Non-drying. · Transfers from one surface to another.

DESCRIPTION	SIZE	CASE QTY.	ORDER No.	PRICE Each
Blue (Tube)	.55 oz.	36	9520-551	\$10.52

#### Marking Aerosols

Mark items for quick, visual identification. Ideal for assembly, inspection, etc.

• Fast drying. • Ideal for marking bulk products such as lumber or metal. Shipping Code: 2

DESCRIPTION	SIZE	CASE QTY.	ORDER No.	PRICE Each
Yellow (Opaque)	16 oz. Spray Aerosol	12	9520-606†	\$POA

\* Lead Free

† Limited Quantities

### AERVOE Tan Cover Up Ink

Spray covers old box print and dries quickly; cartons look brand new! Cost Effective: The surface appears to be just like new and can then be re-stenciled or labeled. Great cover capacity; no rub-off. Saves money on miscellaneous packing jobs. 13 oz. aerosol, Shipping Code: 2





- Precise Scribing without Chipping
- Produces quick-drying film that won't peel, flake or rub off.
- Contains no acids and resists heat.

  Dries Quickly Leaves No Residue
- Suggested for dies, templates, tools and machined parts. Excellent adhesion to metal, glass and plastic.

**Shipping Code: 2** 

		QTY.	ORDER NO.	EACH
6001	12 av. oz. aerosol can	12	9516-001	\$7.37



### CRÖШn°

#### Toolmaker's Ink Remover

**Dissolves All Layout Fluids** 

Special solvents remove inks without bothersome residues. Can also be used as a paint stripper. Safe and convenient aerosol application. Also available in non-aerosol bulk.

**Shipping Code: 2** 

MFG. No.	DESC.		ORDER NO.	PRICE Each
6095	14 av. oz. aerosol can	12	9516-095	\$6.79



#### Opaque Stains

- · Performs well on light and dark tinted materials
- Provides excellent hiding/coverage properties and opacity
- Thickness can be adjusted by adding DYKEM® Thinner & Remover
- Resists most work related materials such as oils, moisture, grease, cutting fluids, and more
- · Easy application: spray, brush, dipping, stamping, or tumbling



Shinning Code: 1

	ompping ocuoi z		omponing coder i		
COLOR	BRUSH-IN-CAP 8 Oz.	PRICE Each	1 GALLON Bottle	PRICE Each	
Black Dark Blue Light Blue Lead-Free Dark Green Lead-Free Light Green	- 9520-565 - - -	_ \$23.51 _ _ _	9520-562 9520-566 9520-571 9520-480 9520-483	\$121.70 139.26 139.26 158.22 158.22	
Lead-free Orange Pink Purple Red White	9520-485 - 9520-594 9520-602	26.66 - 26.66 20.49	9520-486 9520-588 9520-590 9520-595 9520-604	158.22 139.26 139.26 158.20 121.70	
Lead-Free Yellow	9520-488	26.66	9520-489	158.22	

Shinning Code: 2

† Limited Quantities

### Fault Finder

Group 1 (Inspection Kit #1070)

1. Cleaner #1071 2. Penetrant #1075 3. Developer #1079

Contains No Chlorine or Sulfur-bearing Solvents.

It was developed specifically for testing materials where halogenated safety solvents are not permitted. This system meets the RDT F-3-6T standard as established by the Atomic Energy Commission. You'll see red if this system

detects any faults. Conforms to MIL-I-25135. Active ingredients meet chlorine and sulfur requirements of the RDT F-3-6T standard, NAVSHIPS 250-1500, and MIL STD-271.

Shipping Code: 2 12

7.5 av. oz.

Cleaner...Order No. 9511-071...\$8.84 Penetrant...Order No. 9511-072...\$9.89 Developer...Order No. 9511-073...\$8.69 Kit...Order No. 9511-070...\$94.11



COVER-UF

INK

### simple green

#### **Concentrated Cleaner/ Degreaser/Deodorizer**

- Non-Toxic and Biodegradable
- Non-Abrasive/Non-Flammable
- · A4, A8, B2 USDA Ratings
- Mild 9.3-9.5 pH
- Sassafras Scent
- Building/Grounds Maintenance
- Janitorial Cleaning: Floors, Walls, Counters, Doors, Concrete, Tile, Stainless Steel, Etc.
- Clean and Deodorize Grease Filters/Trap
- Surface Prep Before Painting



#### Sassafras Scent

SIMPLE Green #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
13012	24 oz. Trigger Spray Bottle	12	3135-006	\$6.31
13005	1 gal. Bottle	6	3135-008	13.61
13006	5 gal. Pail*	1	3135-012	66.53
13016	15 gal. Drum*	1	3135-016	218.94
13008	55 gal. Drum †	1	3135-020	536.15

\* Shipping Code: 4

† Truck shipment only

#### Trigger Spray Dilution Bottle (Empty)

Order No. 3135-001 Price Each: \$1.94

#### Extreme simple green **Aircraft & Precision Cleaner**

- Non-Toxic and Biodegradable
   Residue-free rinsing
- Non-Abrasive/Non-Flammable, non-corrosive • Meets Boeing spec D6-17487 rev. P
- and Pratt & Whitney PWA 36604 rev. C & D
- Applications: . Engines, aircraft, vehicles
- Metals, plastics, high-tech alloys, part washing
- · Janitorial cleaning: floors, walls, counters,

Heavy-duty cleaner and degreaser				
SIMPLE Green #	DESCRIPTION	CASE QTY.		PRICE EACH
13406 13405 13455	1 gal. bottle 5 gal. pail* 55 gal. drum †	6 1 1	3135-074 3135-076 3135-078	86.11

\* Shipping Code: 4

† Truck shipment only

#### **Hand Cleaner Gel Waterless Formulation, Heavy Duty**

- . Contains Pumice For Added Cleaning Power
- · Added Lanolin for Moisturizing Skin
- · Use With or Without Water
- Removes: Grease, Oil, Carbon, Wet Paint, Soot, Tar, Fish or Food Smells, and More
- · Great for MRO, Service Bays and Maintenance Shops
- Non-Toxic, Non-Hazardous, Non-Flammable, and Biodegradable

SIMPLE Green #	DESCRIPTION		ORDER No.	PRICE Each
42150	5 oz. Tube	12	3135-062	\$1.37

#### **Lime Scale Remover** Industrial/Institutional Descaler

- Dissolves Soap Scum, Hard Water Stains, and Mineral Deposits
- Non-Abrasive/Non-Flammable
   Non-Fuming, Buffered Acid
- No Bleach, Ammonia, or Phosphorous
- · Descales: HVAC Components, Pipes, Sprinklers, Humidifiers, Spray Rack Systems, Etc.

SIMPLE Green #	DESCRIPTION	CASE QTY.		PRICE Each
50032	32 oz. Spray Bottle		3135-126	\$6.31
50128	1 gal. Bottle		3135-128	12.40



### Crystal simple green Industrial Strength Cleaner/Degreaser

- Industrial Formulation
- No Color and No Added Scent
- Non-Toxic and Biodegradable
- Non-Abrasive/Non-Flammable A4, A8 USDA Ratings
- Mild 9.3-9.5 pH
- Equipment/Machinery Degreasing
- Parts Washers and Dip Tanks
- · Mechanized Applicators: Floor Scrubbers. Pressure Washers, Steam Cleaners, Etc.

SIMPLE Green #	DESCRIPTION	CASE QTY.	ORDER No.	PRICE Each
19024	24 oz. Trigger Spray Bottle	12	3135-036	\$8.30
19128	1 gal. Bottle	6	3135-038	18.23
19005	5 gal. Pail*	1	3135-042	79.72
19055	55 gal. Drum †	1	3135-050	642.66

No Color and

No Added

Scent

\* Shipping Code: 4

† Truck shipment only

#### Foaming Crystal Simple green **Industrial Strength Cleaner/Degreaser**

- Specialized foaming formula
- · Clinging and penetrating foam cleans hard-to-reach areas
- · Non-Toxic and Biodegradable
- Non-Flammable and Non-Abrasive
- · Non-corrosive formula- Safe on metals, finishes, plastic & rubber
- · Residue-free rinsing
- · Quick, easy and convenient



onipping t	Jouc. 2				
SIMPLE Green #	DESCRIPTION	CASE QTY.	ORDER No.	PRICE Each	
19010	Foaming Crystal Aerosol	12	3135-056	\$4.81	

### simple green D Pro 3 Plus

#### 1-Step Germicidal Cleaner/Deodorizer

- . KILLS 99.9% OF GERMS including viruses and bacteria.
- · Cleans, disinfects, and eliminates odors
- Concentrated formula can be easily and economically diluted.
- Hospital grade performance. Kills cold and flu viruses when used as directed. . Non-acidic formula.
- Will not harm sealed stone, sealed grout, or glazed tile.
- · Sanitizes non-food contact hard, non-porous surfaces and floors.

	SIMPLE Green #	DESCRIPTION	CASE QTY.		PRICE Each
ľ	30301	1 gal. Bottle	6	3135-113	\$ 17.54
ı	30305	5 gal. container*	1	3135-114	82.17
	30355	55 gal. container †	1	3135-116	710.00

\* Shipping Code: 4

† Truck shipment only



#### simple green D Pro 5 1-Step Cleaner/Disinfectant

- · Cleaner, Deodorizer, Sanitizer, Virucidal, Fungicidal, Mildewstat
- · Hospital disinfectant level · Bilingual label
- · High level of active ingredients, kills Avian Influenza, Hepatitis B & C,MRSA, and more
- High dilution ratios of 1:16, 1:64, as high as 1:256

SIMPLE Green #	DESCRIPTION	CASE QTY.		PRICE Each
30501	1 gal. Bottle	4	3135-119	\$ 20.43
30505	5 gal. container*		3135-120	
30555	55 gal. container †	1	3135-122	775.68

\* Shipping Code: 4

† Truck shipment only



 No Color and No Added Scent



#### Cleaners



Spray Nine® Heavy Duty Cleaner, Degreaser & Disinfectant's professional-strength cleaning power has been trusted by millions of professionals and consumers for over 50 years. Spray Nine® features a quaternary ammonium compound that sanitizes and disinfects hard, non-porous surfaces. Spray Nine works hard to remove all types of dirt, grease, grime and stains.

Note: Spray Nine has demonstrated effectiveness against viruses similar to Coronavirus Disease 2019 (SARS-CoV-2) on hard, non-porous surfaces. Use in accordance with the directions for use against Norovirus/Feline Calicivirus, Rhinovirus Type 37, and Poliovirus on hard, non-porous surfaces.

Refer to the CDC website for additional information.



- . Cleans Tackles the toughest tasks head-on with less scrubbing
- Degreases VOC compliant; replaces heavy solvent degreasers
- . Disinfects Kills germs and helps control mold and mildew; EPA registered (#6659-3)

• NOI 0-1	naicu			12	
PART. NO.	DESC.	CASE QTY.	ORDER No.	PRICE Each	
26832 26801	32 oz. trigger 1 gal. jug	12 4	3133-982 3133-980	\$3.66 9.29	

- Shipping Code: 4 Shipping Code: 3





#### Dymon® Do-it ALL™ **Germicidal Cleaner**

- · Cleans, disinfects, and deodorizes in one step
- · Foam clings to vertical surfaces permitting longer contact time
- Leaves surface clean and free from odors
- EPA registered Shipping Code: 2



PART. NO.	DESC.		ORDER No.	
#080	16 oz. aerosol	12	3133-940	\$2.80

#### **Dymon®** Clear Reflections® **Glass Cleaner**

- · Residue-free glass cleaner leaves no spots, film, or streaks even at hot and cold temperatures
- · Overspray will dry crystal clear

#### Shipping Code: 2



PART. NO.	DESC.		ORDER No.	
#385	16 oz.aerosol	12	3133-950	\$2.01





### ( ) concrobium Disinfectant

Ideal For:

- Disinfecting hard, non-porous surfaces
- · General cleaning & maintenance · Odor control • Kills 99.9% of bacteria • Effective against MRSA, Human

Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus), Human Rotavirus and Influenza A3 virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1(formerly called swine flu). • EPA Reg #34810-25

PART. NO.	DESCRIPTION	SIZE	ORDER No.	PRICE Each
626001 364107 626055	Broad Sp. Disinf. Broad Sp. Disinf. Broad Sp. Disinf.	5 gal.	6761-345	\$31.91 138.72 1275.53



#### **HydroForce® CR** Foaming Citrus **All Purpose Cleaner**

- Eliminates dirt, dust, ink, & grime deposits
- Rich foam clings to vertical/inverted surfaces
   Biodegradable, non-corrosive & non-abrasive
   Non-flammable, safe on most plastics

Shipping (	Code: 2
------------	---------

	DESC.	QTY.		EACH
14400	20 oz. aerosol	12	6720-920	\$10.00



#### HydroForce® Zero VOC

- Zero VOC formula Non-flammable
- Residual cleaning action
- · Biodegradeable & concentrated

•	Non	-corrosive,	non-abrasive

				12
PART. NO.	DESC.		ORDER No.	
14446	32 oz. spray bottle	12	6721-368	\$15.06



#### **HydroForce® Glass Cleaner Professional Strength**

- Cuts through dirt, dust, fingerprints & haze
- Streak-free glass cleaningBiodegradable, ready to use
- Ammonia-fortified formula

Shipping Code: 2 (aerosol)



### **CRÖШn**° **Anti-Vandal Spray**

A clear spray blend of solvents that removes lipstick, pencil, ink, crayon, and spray paint from a variety of hard surfaces. Safe for use on most hard, unpainted surfaces, including concrete, brick, wood, fiberglass, ceramic tile, Formica, and some plastics. etc. **Shipping Code: 2** 12

DART 110		CAS	ORDER	PRICE
	DESC.			
5062	16 oz. aerosol	12	9515-062	\$8.44



Cleaner









#### Cleaners

#### Scrubs-In-A-Bucket®

PATENTED Heavy-duty, Waterless Hand Cleaner Towels, Disposable, pumice-like performance waterless hand cleaner towels that effectively and quickly clean hands of a wide variety of industrial soils and greases. Each self-dispensing, portable canister contains 72-each or perforated 10-1/2" x 12-1/4" disposable heavy-duty Rough Touch® towels. Super-effective, yet gentle-to-skin,



				٢
PART. NO.			ORDER No.	PRICE PER Case
42272	72 ct. towels	6	3133-91	1\$118.30

#### Scrubs® Medaphene® **Plus Wipes**

**SCRUBS** 

CLEANER & POLISH

CRC

asket

emover

An effective germ-killing disinfectant combined with a strong, quilted wipe make up SCRUBS® MEDAPHENE® Plus Disinfecting Wipes. The textured wipe works quickly to loosen contaminants to ensure a clean and disinfected surface.

Note: SCRUBS® MEDAPHENE® Plus Disinfecting Wipes has demonstrated effectiveness against viruses similar

to Coronavirus Disease 2019 (SARS-CoV-2) on hard, non-porous surfaces. Use in accordance with the directions for use against Norovirus on hard, non-porous surfaces. Refer to the CDC website for additional information.

FEATURES: • One-step cleaner/disinfectant/deodorizer • Portable, safe and easy to use • No spraying or run-off

PART. NO.	SIZE		ORDER No.	PRICE PER Case	2
96365	73 ct. wipes	6	3133-93	0 \$66.50	

#### **Dymon® Stainless Steel Cleaner & Polish**

- NSF® Certified
- · Leaves an invisible protective finish on stainless steel surfaces

Shipping Code: 2 12



	. SIZE	QTY.		EACH
#209	16 oz. aerosol	12	3133-945	\$3.89



#### **CR** Gasket Remover

#### **Paint & Decal Remover**

- · Removes baked on fiber gaskets. gasket adhesives & sealants
- Excellent paint, varnish & graffiti remover
- · Contains no methylene chloride • This product is labeled as

extremely flammable

Omphini	g 00u0. z	•		12
PART		CASE	ORDER	PRICE
			NO.	
03017 aerosol	16 oz.	12	6702-716	\$14.86

### simple green

#### **Safety Towels - Multi-Purpose Cleaning Power**

- Safer, Non-Citrus Formula Uses Crystal Simple Green®
- Non-Toxic and Biodegradable
   Non-Abrasive/
- Non-Flammable Pre-Moistened, Quick, Versatile
- · "No-Scratch" Cleaning of any Water-Safe, Hard Surface: Skin, Metals, Finished Wood, Laminates, Fiberglass, Porcelain, Tile Ceramics, Concrete, Terrazzo,



12

#### No Color and No Added Scent

/				
SIMPLE Green #	DESCRIPTION	CASE QTY.	ORDER No.	PRICE Each
13351	75 count Safety Towels	6	3135-058	\$12.03

#### Scrubs® Hand Sanitizer Wipes

SCRUBS® Hand Sanitizer Wipes combine a highly effective skin sanitizing formula and an abrasive, nonscratching towel for a one-step sanitizing system. This product dissolves contaminated biofilm and kills, absorbs, and removes disease-causing germs and bacteria from skin. SCRUBS® Hand Sanitizer Wipes provide a rapid kill in seconds.

FEATURES: • Kills 99.9% of germs

- Prevents cross-contamination
- Replaces alcohol gels, which do not remove contaminants
   Highly effective skin sanitizing formula
- An abrasive, nonscratching towel
- · Helps reduce the risk of infection and disease
- Can be used where soap and water are not available

APPLICATIONS: • Dissolves contaminated biofilm • Kills, absorbs, and removes disease causing germs and bacteria from skin



#### **Non-Chlorinated** Formula Brakleen® **Brake Parts Cleaner**

- Use where compliance calls for a chlorine-free product
- · Cleans fast, dries fast & leaves no residue
- Degreases instantly
   Restricted from sale in CA
- This product is labeled as extremely flammable Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
05084	20 oz. aerosol	12	6709-820	\$7.54



#### **CRC** Battery Terminal **Protector**

- · Protective coating that keeps moisture, salts & road grime from corroding metal contacts
- . Enhances battery life & power by preventing corrosion-related leakage
- · Red color provides easy visual inspection of application
- This product is labeled as extremely flammable Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
03175	12 oz. aerosol	12	6705-312	\$15.11



#### СRÖШn **All Purpose** Cleaner

- · Water & ammonia based cleaner provides a low foaming action cleaner for breaking up grime.
- · Cuts through grease
- · Cleans & polishes
- · Excellent on granite surfaces
- USDA C-1

Uses: For hard to clean spots on wood. metal, tile, porcelain, plastic, chrome, etc. Shipping Code: 2



AFRICE


AND SANITIZ

No new two SLEEL of print No when your and notice are

Triple States Andread IV

PART. NO.	SIZE		ORDER NO.	
5055	16 oz. aerosol	12	9515-055	\$4.51





- 75% alcohol in a gel-based formula
- · Leaves hands feeling soft, even with all-day use
- Non-sticky film
- Pour from the flip-top spout or transfer into a pump or spray bottle
- If soap and water are not readily available, the CDC recommends the use of an alcohol-based hand sanitizer that contains at least 60% alcohol.

				2
PART. NO.	SIZE		ORDER NO.	PRICE Ea.
5030	16 oz. bottle	6	9515-030	\$8.23



#### **Brakleen® Brake** Parts Cleaner

- · Removes brake fluid, grease & oil from linings & brake pads
- . Cleans fast, dries fast & leaves no residue
- Degreases instantly Non-flammable
- · Restricted from sale in CA & NJ Shipping Code: 2 12

-	DESC.	QTY.		EACH
05089	20 oz. aerosol	12	6709-920	\$ 9.32





# **Battery**

- · Water soluble formula
- · Removes corrosion while
- neutralizing acid spill
- · Assures maximum battery current flow
- Promotes longer battery life









#### **Contact Cleaners**



#### **Industrial Contact Cleaner**

- · Removes light oils, dirt & fingerprints
- · Evaporates quickly, leaves no residue
- Contains no known ozone depleting chemicals or VOCs
- Safe on all plastics

Shipping Code: 2

PART. NO.	DESC.		ORDER No.	PRICE Each
03070	16 oz. aerosol	12	6703-616	\$67.25



#### Contact Cleaner 2000® **Precision Cleaner**

- · Removes dirt. light oils & other contaminants.
- No flash or fire point Non-conductive & non-corrosive
- Not recommended for sensitive plastics

Shipping Code: 2

	PART. NO.	DESC.	CASE QTY.	ORDER No.	
1	03150	16 oz. aero	12	6705-016	\$33.78



#### PF™ Precision Cleaner

- · Strong cleaning action
- Evaporates quickly, leaves no residue
- · No flash or fire point Safe on all plastics

Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
03190	16 oz. aerosol	12	6705-716	\$54.96



#### **Contact Cleaner & Lubricant**

- · Removes grease, oil, dirt & other contaminants
- · Protects with a non-hardening film
- · Non-corrosive & non-staining
- This product is labeled as extremely flammable Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
03140	16 oz. aerosol	12	6704-916	\$20.50

### CRÖWn° Off Line Contact Cleaner

- Fast-evaporating, low-odor cleaner for off-line equipment maintenance.
- Does not leave a film or residue
   Safe on most plastics and metals Applications: to be used on out-of-service electronic components.
- Shipping Code: 2

	SIZE	QTY.		EACH
8276	16 oz. aerosol	12	9518-276	\$7.85













#### Wn-40 Specialist Electrical **Contact Cleaner Spray**

#### SPECIALIST.

- Smart Straw® technology blasts away dirt
- · Quick drying with no messy residue
- Non-conductive and safe to use on all plastics, rubbers and metals

**Shipping Code: 2** 

PART. NO.	DESC.		ORDER No.		
30055	11 oz. aero.	6	3159-335	\$7.76	



#### **QD™ Contact Cleaner**

- Removes contaminants from electrical & electronic components
- · Quick drying, leaves no residue, safe on all plastics
- Ideal for applications where lower flashpoint solvents can be used
- Non-compliant in CA
- . This product is labeled as extremely flammable

**Shipping Code: 2** 

	DESC.	QTY.		EACH	
03130	16 oz. aero	12	6704-816	\$18.98	



#### **HF™ Contact Cleaner**

• Provides the safety of a high flashpoint, leaves no residue • Contains no Class I or Class II ozone depleting chemicals

Shipping Code: 2

PART.	NO.	DESC.		ORDER No.	
0312	5	16 oz. aero	12	6704-716	\$19.77



#### Contact Cleaner

- · Quick drying · Low conductivity, high dielectric
- Plastic safe No residue NSF-A1

**Shipping Code: 2** 

ш		SIZE	QTY.		EACH
	PD11CC	11 oz. aerosol	12	9525-009	\$6.80



# CR© Lectra Motive® Electric Parts Cleaner

- · Provides fast, thorough cleaning for non-sensitive electrical equipment
- · Dissolves grease, oil, dirt, and wax
- · Leaves no residue: Non-flammable
- Not to be used for motorized vehicle maintenance or their parts
- Energized equipment use only in: CA, CT, DE, MA, MD, ME, MI, NJ, NY, RI, OH, PA

Shipping Code: 2

PART. NO.	. SIZE		ORDER NO.	
05018	20 oz. aerosol	12	6709-120	\$12.10

















#### **Degreasers**

### 10-40 Industrial Strength Cleaner & Degreaser

#### SPECIALIST.

This all-new water-based, non-aerosol, industrial degreaser and cleaner is proven to be more powerful, safer, and easier to use than other degreasers. The WD-40® Specialist® Industrial-Strength Cleaner & Degreaser breaks through tough grease and grime on auto parts, tools, floors, machinery, and more.

- Convenient refill port; No funnel needed & no-mess
- Powerful bio-solvent degreasing action with no messy diluting
- Safe on sensitive surfaces like aluminum, copper and glass
- NSF Registered A1, A2, A4, A8, B1

PART. NO.	DESCRIPTION	ORDER No.	PRICE Each
30034	24 oz. spray btl.	3159-342	\$ 7.29
30036	1 gal. can	3159-344	15.95







#### **Heavy Duty Degreaser**

- Removes grease, oil, tar, adhesives, etc.No flash or fire point

- Non-corrosive & non-staining
  Contains no Class I or Class II Ozone Depleting Chemicals
  Sold for manufacturing use only, exceeds VOC limits as a consumer product. Not for retail sale.

PART. NO.	DESC.			PRICE Each
03095	20 oz. aero	12	6704-420	\$17.29





#### **CR** Quick Clean™ **Safety Solvent** & Degreaser

- Non-flammable, VOC exempt Fast evaporation, leaves no residue
- Non-corrosive, non-conductive & non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals
- Cannot be sold in CA, CT, DE, MA, ME, MD, MI, NJ, NY, RI **Shipping Code: 2**

PART. NO.	DESC.		ORDER No.	
03180	20 oz. aerosol	12	6705-520	\$11.66





# CR© Heavy Duty Degreaser II

- · Dissolves grease, oil & sludge
- · Evaporates quickly & leaves no residue
- Non-conductive, non-corrosive & non-staining
- · Contains no Class I or Class II Ozone Depleting Chemicals
- · Cannot be sold in CA. Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
03120	20 oz. aerosol	12	6704-620	\$22.56











- · Dissolves grease, oil & sludge
- Contains no chlorinated solvents
- Not subject to the reporting requirements of RCRA or CA Prop 65
- High di-electric strength of 26,800 volts Shipping Code: 2

PART. NO.	DESC.		ORDER NO.	
03110	20 oz. aerosol	12	6704-520	\$16.07



- Removes grease, oil, lubricants & adhesives
- · Fast evaporation, leaves no residue
- · Non-corrosive, non-abrasive & non-staining
- Pleasant citrus scent Shipping Code: 2

PART. NO.			ORDER No.	
14170	20 oz. aerosol	12	6720-120	\$14.19



#### Citrus Degreaser

- No chlorinated solvents
- · Dissolves grease, oil, wax, resin, & sap
- · Pleasant citrus scent
- NSF-C1 Shipping Code: 2

	SIZE	QTY.		EACH
PD15CT	16 oz. aerosol	12	9525-010	\$5.60





#### **Non-Chlorinated Heavy Duty Degreaser**

- · Removes grease, oil, & wax
- · High flash point
- Low odor
- NSF-C1 Shipping Code: 2

	SIZE	QTY.	ORDER No.	EACH
PD15NC	16 oz. aerosol	12	9525-013	\$6.80







#### **Corrosion Preventatives**



#### SP-350™ Corrosion Inhibitor

- Protects equipment & parts in storage, shipment & in process for up to 2 years indoors
- Displaces moisture & protects all metals with a thin, non-drying film
- Promotes easy equipment start-up Shipping Code: 2

DESC.		NO.	\$16.60
	CASE	ORDER	PRICE



# Zinc-It®

### **Instant Cold Galvanize**

- Actively fights rust & corrosion with a film of 95% pure zinc
- Protects base metal even when scratched or abraded
- Fast-drying, dries to the touch in 15 minutes
- This product is labeled as extremely flammable
- Excellent weldability Shipping Code: 2

PART NO.	SIZE		ORDER No.	
18412	16 oz. aerosol	12	6726-016	\$13.42



- Glistening zinc coating that will restore galvanized steel to the bright look of Hot Dip.
- · Galva Bright will stop rust and corrosion on any iron or steel surface.
- Zinc rich formula provides long lasting protection.

#### **Applications**

Cosmetic repair of welds, hand rails, rims, highway guard rails, metal chain fences, pipes, TV towers, refinery piping, corrugated metal buildings, heavy equipment, and anywhere the bright look of hot dipped surfaces is preferred. Shipping Code: 2

		QTY.	ORDER No.	EACH
7008	13 av. oz. aerosol	12	9517-008	\$13.24

# CRÖWn'

#### **Contains Fortified Lanolin for Moisture Absorption**

Protects and lubricates indoor equipment such as tools, parts, and machinery. Penetrates deep, absorbs moisture, and neutralizes corrosive acids. Waxy, elastic film removes easily with any paint solvent. Lubricants can be applied over the surface without reducing it's effectiveness. Applications: Twist drills, nuts and bolts, plow blades, pumps and machinery. Shipping Code: 2

PART NO.			ORDER NO.	
6007	14 av. oz. aerosol	12	9516-007	\$7.75



#### **Multi-Purpose Lubricant & Corrosion** Inhibitor with Cerflon®

- Inhibits corrosion Displaces moisture
   Lubricates NSF-H2
- Shipping Code: 2

PART NO.		QTY.	ORDER No.	EACH
L212	11 oz. aerosol	12	9525-002	\$5.80





#### **SP-400™ Corrosion Inhibitor**

- Long-term protection (up to 2 years outdoors) for all metals during shipment or extended storage
   Highly resistant to humidity & salt spray
- Firm, waxy film never becomes brittle
- This product is labeled as extremely flammable Shipping Code: 2

PART NO.	DESC.		ORDER No.	
03282	16 oz aero	12	6706-516	\$17.99



#### **Bright Zinc-It® Instant Cold Galvanize**

- Inhibits corrosion & provides a high shine aluminum finish
- Protects base metal even when scratched or abraded
- Recommended for touch-up & repair of bright finish, hot-dip galvanized surfaces
- This product is labeled as extremely flammable

Shipping Code: 2

	SIZE	QTY.		EACH
18414	16 oz. aerosol	12	6726-116	\$16.06



#### CR<del>Ö</del>Wn **Cold Galvanizing Compound**

- The best long-term rust protection you can buy
- · Equal to hot dip galvanizing
- Aerosol will not clog or sputter Shipping Code: 2

	SIZE	QTY.		EACH
7007	13 av. oz. aerosol	12	9517-007	\$12.68



#### CRÖWn° Tool & Die Saver

#### **Protection in Storage**

Protects stored tools and dies from moisture during storage. Formulated with solvents and lanolin for moisture-absorption and lubrication. Heavy, non-oily film is easy to remove when equipment is returned to service. Ideal for long-term storage or long-distance shipments. **Applications**: Precision measuring tools (calipers and gage blocks) chucks, setup jigs and tools, stored metal molds and seldom used parts. **Shipping Code: 2** 

	SIZE	QTY.		EACH
3090	13 av. oz. aerosol	12	9513-090	\$7.88





RUST Inhibitor

6007

#### **Penetrants**

#### WD-40® Multi-Use Product

SHIPPING CODE	PART NO.	DESCRIPTION	ORDER NO.	PRICE EA.
2	49000	3 oz. aerosol, regular spray tip	3159-300	\$ 4.63
2	49002	8 oz. aerosol, smart straw	3159-303	8.06
2	49004	11 oz. aerosol, smart straw	3159-306	10.27
2	49005	12 oz. aerosol, smart straw	3159-308	10.89
2	49019	14.4 oz. aerosol, ez-reach flexible straw	3159-311	15.96
2	49008	16 oz. aerosol, regular spray tip	3159-313	10.61
2	49009	18 oz. aerosol, big blast spray tip	3159-314	11.90
2	49010	20 oz. Trigger-Pro, non-aerosol spray	3159-316	16.63
2	49011	1 gallon can	3159-318	39.78
4	49012	5 gallon pail	3159-319	191.42
3	49013	55 gallon drum	3159-320	2021.01
	10000	empty refillable spray applicator	3159-322	5.73



### CR© 3-36<sup>®</sup> Multi-Purpose Lubricant & Corrosion Inhibitor

- Cleans, lubricates, penetrates & loosens corrosion
- · Prevents corrosion by displacing moisture
- Loosens frozen parts
- · Lubricates without leaving a sticky residue
- · Cleans light soils & contaminants

SHIPPING Code	PART NO.	DESC.	CASE QTY.	ORDER No.	PRICE Each
2	03005	16 oz. aero	12	6702-616	\$ 8.96
-	03006	1 gal btl.	4	6702-636	55.28
4	03009	5 gal. pail	1	6702-640	231.39



#### **Technical Grade 3-36®** CR® Multi-Purpose **Precision Lubricant**

- Prevents corrosion by displacing moisture
- Restores resistance values & helps stop current leakage
- Helps restore water damaged electrical equipment
- Shipping Code: 2

PART NO.			ORDER No.	
03003	16 oz. aerosol	12	6702-516	\$10.75



### **Heavy Duty Penetrating**

- Penetrates corrosion Loosens rusted bolts & parts
- Fast acting NSF-H12 Shipping Code: 2

PART NO.	SIZE		ORDER PRIC	
L112	11 oz. aero.	12	9525-000 \$6.7	0
L116	16 oz. btl.	12	9525-001 8.6	0



#### **Foaming Penetrant, Lubricant, Corrosion** Inhibitor

- Controlled, accurate application Highest penetration
- Maximum lubrication Ultimate protection NSF-H2 Shipping Code: 2

	SIZE	QTY.	ORDER No.	EACH
PL411	11 oz. aerosol	12	9525-004	\$6.90









8 oz. **Smart Straw** 







20 oz. Trigger-Pro



SPECIALIST.

#### **Specialist Rust Release Penetrant Spray**

- Blu Torch™ Technology quickly penetrates rust and frees up even the toughest stuck bolts
- · Ideal for use on nuts, bolts, threads and locks

#### **Shipping Code: 2**







#### **Ultra-Lite 3-36®**


- · Ultra-thin, non-staining lubricant
- Displaces moisture -- excellent for drying out electrical/ electronic components
- Resists oil, dust & dirt build-up

#### **Shipping Code: 2**

PART NO.	DESC.		ORDER No.	
03160	16 oz. aerosol	12	6705-116	\$ 12.10



# CR© Knock'er Loose® Penetrating Solvent



- Breaks through rust, scale, gum, grease, & corrosion
- · Low surface tension formula that creeps into cracks, seams, threads, & joints . Extreme penetrating action
- · Lubricating residue prevents corrosion
- Outperforms the competition Shipping Code: 2

PART NO.	DESC.		ORDER NO.	
03020	16 oz. aerosol	12	6702-766 \$	12.37





#### **Screwloose® Super Penetrant**

- Provides fast & easy dissassembly
- . Busts through rust, scale & corrosion
- NSF H2 registered for use in meat & poultry plants
- Clear formula contains no dyes & leaves no mess Shipping Code: 2

PART NO.	DESC.		ORDER No.	
03060	16 oz. aerosol	12	6703-416	\$ 8.96





### CRÖWN Penetrating Oil

Penetrates Metal Pores; Releases Rust Fast

- Reduces tugging and pounding Only a few drops needed
- Effective against salt water corrosion
- Contains no acid
- Pinpoint extension tube included with each aerosol

Shipping Code: 2

_	DESC.	QTY.		EACH
6030	16 av. oz. aerosol	12	9516-030	\$7.85



### СВОши

#### ALL-4

**Moisture Displacing Lubricant Multi-purpose Problem Solver** 

- Displaces Moisture Lubricates
- . Cleans and Penetrates
- •Silicone Free
- Prevents Rust
- Especially Effective in High Humidity

Shipping Code: 2

	DESC.	QTY.		EACH
7340	16 av. oz. aerosol	12	9517-340	\$7.54



### **Chain & Wire Rope Lubricant**



#### **Chain & Wire Rope Lubricant**

- · Penetrates deep & leaves a tough film that lubricates & protects
- · Resists water wash-off & high-temp sling off
- Absorbs pin/bushing shock & cushions rollers, pins & bushings
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
03050	16 oz aerosol	12	6703-216	\$17.51







#### **Belt Dressing**

- Extends belt life by reducing slippage, hardening, glazing dirt build-up & friction
- · Relieves stress on motors, shafts & wheels
- · Colorless -- will not stain finished goods
- . Meets FDA Regulation CFR 21-178.3570 for incidental food contact
- This product is labeled as extremely flammable **Shipping Code: 2**

PART. NO.	DESC.		ORDER NO.	
03065	16 oz aerosol	12	6703-516	\$15.75



**Screwloose** 



#### **Chain & Wire Rope Lubricant with Moly**

- · Clings to cables, chains, & sprockets
- Safe for 0-Ring chains
- · Penetrates deep, heat resistant · NSF-H2 Shipping Code: 2

	SIZE	QTY.	ORDER No.	EACH
L711	11 oz. aerosol	12	9525-007	\$5.90



### CRÖWN' **Moly Open Chain Lube Oil**

Penetrates Deep Between Roller Chain Drive Bushings Reduces the stress of start-ups and high temperature breakdowns. Provides Critical Lubrication

14 oz. aerosol 12 9517-043 \$8.97

Solvents drive deep into tight, inaccessible areas. Provides superior lubrication where high pressure or temperatures

cause breakdowns of protective films. Shipping Code: 2

		CASE	ORDER	PRIC
PART. NO.	SIZE	OTY.	NO.	EACH



### CRÖWn<sup>®</sup>

#### **Heavy Duty Open Gear** & Wire Rope Lube

Tough and Pliable with Extra Adhesion Lubricates As It Waterproofs

Superior mastic and wicking properties. Tough and pliable with superior adhesion. Foaming action insures total coverage. Weather-Resistant

Withstands extreme temperature and pressure.

Will not become brittle or break down under prolonged use. Dark color helps determine proper and uniform application. Shipping Code: 2

PART. NO.			ORDER No.	
7045	14 oz. aerosol	12	9517-045	\$9.73



#### Lubricants



#### **Extreme Duty Silicone**

- Superior lubrication & temperature viscosity characteristics
- Reduces friction & galling even on metal-to-metal contact areas
- Clear, non-staining, odorless film resists moisture
- . This product is labeled as extremely flammable

Shipping Code: 2

				14
	SIZE	QTY.		EACH
03030	16 oz. aerosol	12	6702-816	\$18.16



### СВОШП°

#### **Food Grade Silicone Lubricant**

- USDA H-1 4% silicone Odorless, colorless, non-staining, dry film
- · Prevents sticking and won't transfer to end parts
- · Will not interfere with carton sealing, bottle capping or other food preparation applications
- Will not harm paint, metal, wood surfaces, and most plastics
- · Reduces noise and wear where friction may occur
- Separates from water even under acid/alkali conditions
- Waterproofs ignition systems Dielectric strength of 35kV/mm

Applications: Metal hinges, plastic rollers, guide rails, slides, or anything that sticks. May be used on air tables and food preparation equipment. Shipping Code: 2

PART NO.	SIZE	CASE QTY.	ORDER No.	PRICE Each	12
8036	16 oz. aerosol	12	9518-036	\$7.46	



# Bostik

#### BladeCote® - Aerosol **Blade/Bit Lubricant**

- · Prevents resin buildup.
- · Reduces blade cleanings, cutting friction and heat.
- · Extends overall life of blades and bits
- · Contains NO silicone or petroleum oil.
- · Will NOT stain wood or interfere with glues or finishes.
- · Prolongs equipment life by reducing saw or drill motor drag.
- Increases productivity by less downtime for saw blade changeovers.
- · Works equally well on steel or carbide, stellite and diamond-tipped cutting blades.

#### Shipping Code: 2

				1
			ORDER	
DESC.	SIZE	QTY.	NO.	EACH
BladeCote	10.75 oz. aerosol	12	3159-876	\$20.10



### **Bostik**

#### GlideCote® - Aerosol **Table/Tool Surface Sealant**

- · Reduces sliding friction and hang-ups
- · Will not build-up even after several applications
- · Will not stain or effect finishing of wood
- · Contains no petroleum oils or silicone
- · Protects all tools and equipment from rust.
- Up to 30% slicker than paste wax.
- Easier, quicker to apply than paste wax, lasts three times (3x) longer.
- · Perfect for table saw beds, drill presses, lathes, planers, band saws, miters, panel saws, and all hand tools

#### Shipping Code: 2

DESC.			ORDER NO.	PRICE EACH	
GlideCote	10.75 oz. aerosol	12	3159-878	\$19.80	





### WD-40 Specialist Water Resistant Silicone Lubricant

#### SPECIALIST.

- · Powerful multi-surface lubricant
- · Quick-drying, repels water
- Withstands extreme weather between -100°F to 500°F

Shipping Code: 2

PART NO.		ORDER No.	PRICE Each
30001	11 oz. aero.	3159-331	\$8.53





### Specialist Spray & Stay **Gel Lubricant**

#### SPECIALIST.

- Thick gel lubricant provides 12x longer lasting lubrication\*
- · Won't run, drip or make a mess
- · Prevent corrosion for up to 1 year (Results may vary depending on extreme conditions.) Shipping Code: 2

	DESC.	-	
30010	10 oz. aero.	3159-339	\$13.82





#### **Food Grade Silicone**

- · Multi-purpose silicone spray for food
- processing/handling applications
   Meets FDA Reg. CFR 21-178.3570 for incidental food contact
- . Meets 1998 USDA quidelines for use in meat & poultry plants
- . This product is labeled as extremely flammable Shipping Code: 2

	SIZE	QTY.		EACH
03040	16 oz aerosol	12	6702-916	\$11.41





#### **Heavy Duty Silicone Spray**

- · Lubricates, waterproofs, & protects
- . Thin, clear, non-drying film
- · Use on metal, rubber and plastic
- NSF-H2

Shipping Code: 2

I	M914	11 oz. aerosol	12	9525-008	\$ 5.60
ш		SIZE	QTY.		EACH
					12



#### **Lubricants & Grease**



#### Specialist Dirt & Dust **Resistant Dry Lube** SPECIALIST. PTFE Spray

- · Reduces friction and wear
- · Resists dirt, dust and oil
- Temperature range -50°F to 500°F

Shipping Code: 2

SHIPPING CODE	PART. NO.	DESC.	ORDER No.	PRICE Each
2	30005	10 oz. aero.	3159-334	\$8.90



#### CR® Dry Moly Lube

- · Lowers friction, prevents galling & helps reduce torque & energy consumption
- High anti-friction & anti-seizure properties
- Resists high temps, high pressure & water & chemical attack
- · Fast drying film resist dirt & dust build-up
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	SIZE		ORDER No.	
03084	16 oz aerosol	12	6704-316	\$14.65

### **СРОШП**® Dry Film

Lubricant & Mold Release Agent (TFE) Clear, Clean, dry Teflon\* Formula Clean, slippery, dry and invisible when applied. Lubricates without grease. Resistant to dirt and dust. Durable beyond normal lubricant breakdown, works up to 500° F. Use where silicone, oil or wet lubricants cannot be tolerated. Applications: Electrical equipment, precision machines, survey instruments, industrial sewing machines, conveyors and chutes.\* Dupont T'mrk Shipping Code: 2

PART. NO.			ORDER No.	
6075	14 av. oz. aerosol	12	9516-075	\$10.26

### **СРОШП** Dry Graphite **Lubricant & Parting Compound**

Temperature Range from -100° F to +1000° F

Used throughout the world for extreme temperature lubrication requirements. Coats surfaces with a super-slippery, long-lasting protective film. Stops squeaking and sticking. Use where petroleum products must be avoided. Contains no oils or moisture-based dilutants.

Lubricant: bearings, locks, oven parts, pre-assembly of moving parts, sliding windows and doors.

Parting Compound: dies, sand cores, match plates, drawing extrusions,

die casting, pewter molding. **Coating Compound:** Conductive materials, sealants. Shipping Code: 2

PART. NO.			ORDER No.	
8078	14 av. oz. aerosol	12	9518-078	\$7.67



#### White Lithium Grease

- · Provides superior lubrication & durability in any weather or temperature
- · Excellent break-in lubricant for bearings
- · Provides general purpose lubrication & corrosion protection of machinery, tools, etc.
- · White colosr allows for easy visual inspection of film coverage
- . This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	DESC.		ORDER No.	
03080*	16 oz. aerosol	12	6703-916	\$ 14.25















#### Specialist Protective **White Lithium Grease**

#### SPECIALIST.

- · Long-lasting lubrication and protection
- · Won't freeze, melt or run off
- Metal-to-metal corrosion protection

Shipping Code: 2

SHIPPING CODE	PART. NO.	DESC.	ORDER No.	
2	30024	10 oz. aero.	3159-332	\$6.29



### **CR** Power Lube®

#### **High Performance** Lubricant w/ Teflon®

- · Contains TEFLON for long-lasting lubrication
- Withstands extreme load carrying situations
- · Perfect to hard to maintain equipment
- · This product is labeled as extremely flammable · Teflon® is a registered trademark of DuPont

Shipping Code: 2

PART. NO.	SIZE		ORDER No.	
03045	16 oz aerosol	12	6703-116	\$ 13.21



# **CRับเา** Dry Moly Lubricant

Performs at pressures up to 100,000 PSI and temperatures up to 700° F. This dry, molybdenum disulfide product contains no oils or moisture-based dilutants. Forms a dry, thin black film imparting anti-friction and anti-seizure properties. Bonds to metal surfaces Provides long-lasting, noise-reducing protection. Use where a dirt and grime-resistant lubricant is needed.

Applications: Grinding mills, crushers, mechanical presses, cams & slides. Shipping Code: 2

PART. NO.	SIZE		ORDER No.	
6080	16 av. oz. aerosol	12	9516-080	\$8.49



# **Dry Lubricant** with Cerflon®

- Dry powder lubricant Lubricates without oil
- No dirt pick up NSF-H2

Shipping Code: 2

	SIZE	QTY.	ORDER No.	EACH
L512	11 oz. aerosol	12	9525-005	\$ 6.90



#### White Lithium Grease

- Durable high-viscosity film Won't melt, run, freeze
- Inhibits corrosion NSF-H2

Shipping Code: 2

	DESC.	QTY.		EACH
L616	11 oz. aerosol	12	9525-006	\$ 6.80













#### Oils



### 3-IN-ONE Multi-Purpose Oil

The 3-IN-ONE® brand has been a trusted name since 1894 and has become the product of choice for trade professionals and do-it- yourselfers in a wide variety of specialties.

PART No.	DESCRIPTION	ORDER No.	PRICE Each
10070	4 oz. bottle, telsc. spout	3159-360	\$ 3.77
10035	3 oz. can	3159-366	2.92
10038	8 oz. can	3159-367	4.83



#### 4 fl. oz. Bottle - Telescoping Spout

- . Spout extension of more than 6' for those hard-to-reach places
- · A simple twist of the spout allows for easy ON & OFF closure control
- · Fill level indicator strip to show when product is running low



#### 3 fl.oz. Can

- · Precise, easy-to-use drip spout for precise application
- Fill level indicator strip to show when product is running low



#### 8 fl.oz. Can

- · Precise, easy-to-use drip spout for precise application
- Fill level indicator strip to show when product is running low

#### Cutting Oil

- Superior thread cutting lubricant for use on all types of ferrous & non-ferrous metals
- · Reduces heat & friction to ease cutting
- · Sulfur-free, low odor formula
- · Foaming aerosol formulation clings to vertical surfaces
- This product is labeled as extremely flam.

mable <b>Shi</b>	able Shipping Code: 2			12	
PART. NO.	DESC.		ORDER No.		
14050	16 oz. aerosol	12	6716-816	\$12.18	



### CRC

#### **Air Tool Oil**

- · Lubricates & protects pneumatic equipment
- Increases torque, assures long tool life
- · Reduces rust, varnish, sludge & acids



PART. NO.	DESC.		ORDER No.	
	15 oz. btl.	12	6727-915	\$9.30
SL2533	1 gal. btl.	4	6727-936	38.74



#### Food Grade Machine Oil

- Penetrates & loosens rust, scale & corrosion
- Contains no silicone & is virtually odorless & colorless
- Will not harm metal, wood, plastic or painted surfaces
   Meets FDA Regulation CFR 21-178.3570 for incidental food contact
- This product is labeled as extremely flammable Shipping Code: 2



				12
PART. NO.	DESC.		ORDER No.	
03081	16 oz aerosol	12	6704-016	\$11.64

#### Mir Tool Oil

Extends life and performance of air tools, lubricators, valves and cylinders. Prevents seizure of air tools and pneumatic equipment. Recommended for tools requiring a 10 weight non-detergent lubricant. Working temperature: 5° F to +350° F. WARNING: HARMFUL OR FATAL IF SWALLOWED.

MILTON Part. No.	CONTAINER SIZE	CTN. QTY.	ORDER NO.	PRICE EACH
1001-4	4 oz. Flip-Top container	12	3350-546	\$6.21
1001-16	6 oz. Flip-Top container	12	3350-547	12.77
1001-32	32 oz. Flip-Top container	12	3350-548	19.45
1001	1-gal. container	6	3350-549	39.29



1001

### Compressor Oil

Protects against oxidation, corrosion, foaming and wear of metal parts. Protects against sludge and maintains its viscosity in the temperature range of 20° F to 440° F. For centrifugal compressors where the manufacturer specifies a non-detergent 30 weight oil. WARNING: HARMFUL OR FATAL IF SWALLOWED.

2

	Y. NO. EACH
1002-32 1002	2 3350-550 \$17.63 6 3350-551 37.24
	3



1002-32

### RELTON

#### **TCO-14** & TCO-16 **Cutting Oils**



12

Dark & Light Thread Cutting Oils

- · Leaves clean, smooth threads
- Ready to use on all pipe materials

SIZE	CASE QTY.	(DARK) TCO-14 ORDER NUMBER	(LIGHT) TCO-16 ORDER NUMBER	PRICE Each
16 oz.	12	3159-490†	-	\$ 5.45
1 GAL.	4	3159-495*	3159-515	25.15
5 GAL.	1	3159-500	3159-520	112.90
55 GAL.	1	3159-505	3159-525	920.00

### RELTON

#### Air-Flo™ Air Tool Oil

- Protects against rust, gums, sludges, etc.
- · Provides positive lubrication of piston-driven and rotary air tools.
- · Prolongs tool life

SIZE

Pint

1 gal.

55 gal. drum

- · Increases RPM's and torque
- · Effective in a wide variety of tools, applications and temperature ranges

CASE QTY.

12





1400.00

PART NO.

3159-530\*

3159-535\*

3159-540

### Rel-Saw™ **Bandsaw Fluid**

- · Improves blade life
- Remains stable over a wide variety of water conditions

RELTON

- · Promotes cleaner-running machines compared to soluble oils
- · Semi-synthetic formula



12

SIZE	CASE QTY.	PART NO.	PRICE EA.
1 gal. bottle	4	3159-582*	\$ 35.65
5 gal. pail	1	3159-583	154.00
55 gal. drum	-	3159-584	1570.00

### **Pipe Compound & Tape**

### Slic-tite® Paste with PTFE Heavy-duty thread sealing compound

- · Contains more PTFE than other national brands
- . Use on metal, PVC, CPVC, and ABS plastic pipe threads
- · For sealing water, air, steam, natural gas, LP gas, refrigerant, ammonia, gasoline and oil. See Application chart for other service uses
- Sealing temperature: -50°F to 500°F (-46°C to 260°C)
- Pressures: 3,000 PSI (204 BAR) for gas, 10,000 PSI (680 BAR) for liquid
- . USDA approved for use in federally inspected meat and poultry plants
- FGG/BM® System Compatible
- · Non-toxic, non-drying, washes off easily

	6	;	
1	R	[	J
	п	c	ľ

				_
SIZE	PACK QTY.		ORDER No.	PRICE Each
1/2 pint	1	24	6442-019	\$16.21





### Premium pipe and fitting lubricant and anti-seize compound formu-

lated to provide maximum thread lubrication in a wide range of pipe threads and fittings. The use of Teflon, and other sealant enhancing additives in Never-Seez Pipe Compound, allows greater thread engagement and more positive sealing. This product prevents corrosion and galling of threads for easy disassembly at temperatures up to 525°F. Recommended for use on black iron, galvanized stainless steel, and high pressure steam pipes in contact with malleable cast iron, brass, stainless steel and galvanized fittings. ®Teflon is a registered trademark of DuPont.



				ات
MFG. Part. No.	DESC.		ORDER No.	
NPBT-4	4 oz. Brush	24	3159-864	\$4.49
	8 oz. Brush	12	3159-865	9.35
NPBT-16	16 oz. Brush	12	3159-866	14.42

#### **Slic-tite® PTFE Thread Tape**

- Packed with PTFE, Slic-tite Tape provides a highly resistant seal on pipe threads for all types of service. This high-density tape works with several types of systems, and it permits easy disassembly, even after many years of service.
- Pressure: to 2,000 PSI (136 BAR)
- Sealing temperature: -450°F to 550°F (-268°C to 288°C)
- · 4 mils thick and made with PTFE for greater sealing power
- Non-toxic



PART		ORDER	PRICE
NO.	DESCRIPTION		EACH
44082	1/2" x 300"	6444-082	\$2.62
44082	1/2" x 600"	6444-083	3.15



#### **Pipe Thread Tape Of PTFE**

- Provides a highly resistant seal on pipe threads for all types of service. This economy-grade tape works with several types of systems, allows easy disassembly, even after many years of service.
- Pressure: to 10,000 PSI (136 BAR)
- Sealing temperature: -450°F to 550°F (-268°C to 288°C)
- 3 mils thick and made with PTFE for effective sealing power

6	

	DESCRIPTION		EACH
44071	1/2" x 260"	6444-071	\$0.66
44072	1/2" x 520"	6444-072	0.88

### **RTV Silicone Adhesives/Sealants**

# RTV Silicone Adhesives/ Sealants

12

- · Seals, bonds, waterproofs & protects.
- · Cures at room temperature.
- · Clear. White & Blue formulations are for general purpose applications.
- · Red is formulated as a low odor, non-corrosive & high pressure sealant Shipp

		Code:				
--	--	-------	--	--	--	--

MFG. Part. No.	DESC.	CASE QTY.	ORDER No.	PRICE Each
14055	Cir 8oz tube	12	6716-908	\$27.29
14056	Wht 8oz tube	12	6717-008	27.62
14057	Blue 8oz tube	12	6717-108	27.62
14059	Red 8oz tube	12	6717-208	28.20



#### **Anti-Seize**



- · Prevents seizing & galling caused by high temps, heavy loads, vibrations & corrosion
- · Excellent choice for closely fitted parts needing extreme lubrication
- Copper-based, safe for use on both ferrous & non-ferrous metals

					[12]
SHIPPING Code	PART. NO.	DESC.		ORDER No.	
2	14095*	16 oz. aero.	12	6718-116	\$34.20
-		8 oz. brush			
-	SL35903	16 oz. brush	12	6729-916	27.42

\*This product is labeled extremely flammable.



#### EZ BREAK® Nickel Grade®

Anti-seize & lubricating compound

- Contains fine particles of nickel and other additives.
- · Contains no copper.
- Resists rust and corrosion.
- · Makes disassembly easy, even after years of service.
- •Temperature: to 2600°F.

PACKAGE QUANTITY: 1 CASE QUANTITY: 24



SIZE	NO.	EACH
9 oz.	6408-971	\$22.87

### NEVER-SEEZ

#### **Pure Nickel Special**

- Formulated to protect up to 2400°F against seizure and galling, galvanic and severe environmental corrosion.
- · It contains flake particles of pure nickel, graphite and other additives
- Recommended for use when applications prohibit the presence of copper, especially when resistance to corrosive acidic and caustic solutions is required.
- Meets Boeing BAC 5008, Ford ESE-M12A4-A, Garrett Engine Div. PCS5721, GE Aircraft A50TF198 Class A, General Motors 14001899, Pratt & Whitney PWA 36053-1 and is tested to MIL-PRF-907E.

PART No.	DESC.	CASE QTY.		PRICE Each
	16 oz. Flat Top		3159-819	
	8 oz. Brush Top 16 oz. Brush Top		3159-821 3159-822	32.50 59.00



#### **Regular Grade**

The "original" anti-seize compound and extreme pressure lubricant formulated with copper, graphite, aluminum and other ingredients to protect metal parts against rust, corrosion and seizure up to 1800°F. Fine metallic and graphite particles in special grease protect parts even in high heat, high pressure and corrosive environments.

Ford ESE-M12A4-A, Garrett Engine Div. PCS5724. Pratt & Whitney PWA 360523-2

and tested to MIL-PRF-907E.



NEVER-SEEZ

gular Gra

				1
PART. NO.	DESC.	CASE QTY.	ORDER No.	PRICE Each
NSB-4	4 oz. Tubes	24	3159-810	\$7.92
NS-160	16 oz. Flat Top	12	3159-801	31.30
NSBT-8	8 oz. Brush Top	12	3159-805	19.90
NSBT-16	16 oz. Brush Top	12	3159-806	30.80
NSA-16	16 fl oz Aerosol*	12	3159-803	25 00



### Nickel Anti-Seize

- · Prevents seizing & galling caused by high temps, heavy loads, vibration, chemicals & corrosion
- Safe for use with most chemicals that are unstable with copper
- · Safe for use on both ferrous & non-ferrous metals

PART. NO. DESC SL35911 8 oz. brush 12 6730-008 \$29.86 SL35913 16 oz. brush 12 6730-016 49.15



### EZ BREAK® Copper Grade® Anti-seize & lubricating compound

- · Recommended for coating nuts, bolts, valves, flanges, splines, for easy breakout after years of service.
- · Copper-based anti-seize and lubricating comp
- · Resists rust and corrosion.
- Meets Mil. Spec. Mil-A-907D.
- •Temperature to 1800°F.

PACKAGE QUANTITY: 1 CASE QUANTITY: 24

	10 oz.	6408-910	\$15.72
	SIZE	ORDER No.	PRICE Each
μu	ouria.		6



### • NEVER-SEEZ

#### **High Temperature Stainless**

- A stainless steel, graphite, aluminum based anti-seize compound formulated to protect up to 2200°F against seizure and galling, galvanic and severe environmental corrosion.
- Specifically designed for applications that cannot use nickel based products.
- Tested to MIL-PRF-907E

PART No.	DESC.		ORDER No.	
NSSBT-8	8 oz. Brush Top	12	3159-827	\$18.85



#### Mariner's Choice

- Never-Seez Mariner's Choice is a copper-free, heavy duty anti-seize and extreme pressure lubricant formulated to assure absolute parts protection against seizure, galling, and corrosion in fresh/salt water environments.
- · Mariner's Choice offers superior resistance to water washout, and the best protection in continuous high moisture environments both above and below water lines.
- Tested to MIL-A-907E.

PART. NO.	DESC.	CASE QTY.	ORDER No.	PRICE Each
NMCBT-8	8 oz. Brush Top	12	3159-838	\$26.00



#### White Food Grade with PTFE

Meets FDA and USDA requirements for incidental food contact. Fortified with high load carrying solid lubricants, it lubricates and protects bearings, gears and other moving parts exposed to high temperatures up to 475°F and wash downs. The unique dispersion of FDA authorized PTFE provides additional lubricity especially where a thin film of lubricant is desirable. Never-Seez White Food Grade with PTFE is virtually odorless, colorless, and tasteless. It is a "multi-purpose" lubricant for varied services within a food handling plant.





NEVER-SEEZ

### **Cutting Fluids**

#### **Aluminum**

When the majority of your work is on aluminum, this is the most effective cutting fluid you can use, providing excellent performance for any and all cutting operations.

Shipping Code: 2, 3 (30 gal. & 55 gal.)



#### **Pro Tap**

Made especially for projects that require a cutting fluid that's free of all regulated chemicals. TAP MAGIC PRO TAP is completely biodegradable! Highly effective for all cutting operations on all metals.

Shipping Code: 2 (aerosol), 3 (30 gal. & 55 gal.)



#### **EP-Extra**™

An ozone-friendly formula that gives you outstanding performance for any cutting operation on any metal. Absolutely without equal on all hard metals and for cuts of extreme pressure or long duration.

Shipping Code: 2 (aerosol), 3 (30 gal. & 55 gal.)



#### Xtra-Thick™

The extreme performance heavyweight cutting fluid for the hardest metals up to 45 RC. Great for lathe, millwork, and deep hole cuts. Contains EP-X<sup>3(E)</sup>

Shipping Code: 3 (30 gal. & 55 gal.)



#### **Aqueous Formula**

A totally biodegradable and non-corrosive water-based fluid that is highly effective for all cuts on metal, excluding magnesium. Contains EP-X<sup>3®</sup> for a synergistic boost in performance.

Shipping Code: 2 (aerosol) 3 (30 gal. & 55 gal.)



#### Xtra-Foamy®

A high-visibility foaming action cutting fluid containing  $\text{EP-X}^{3@}$  for extreme performance on even the hardest-to-machine metals. Ideal for all cuts on all metals - especially high nickel alloys, iconel, stainless, titanium, and other hard metals up to 45 RC!

Shipping Code: 2, 17 oz. can Order No. 2591-282 Price Each: \$19.80



X

#### **Eco-Oil Formula**

Tap Magic Eco-Oil Formula is totally biodegradable and has a natural oil base that's remarkably low in odor and smoke - even on cuts that produce a lot of heat. It contains our EP-X3 additive for a synergistic boost in perfomance. Highly effective for all cuts on all metals.

Shipping Code: 2 (aerosol), 3 (30 gal. & 55 gal.)



### H<sub>2</sub>OX™

Get the performance of an oil soluble with the cleanliness of a synthetic! Formulated to provide excellent lubricity while eliminating the sticky messy film associated with heavy oil products. Designed for tool-dulling jobs like grinding, sawing, milling, boring, and reaming hard metals, Tap Magic H20X can be used with any water-based metal cutting system.

Shipping Code: 3 (55 gal.)



#### Waxx Stick

Tap Magic has now created their highperformance formula in a solid stick form for those jobs where a liquid just won't 'cut it'. Stays with your tooling and made to extend tool life whether grinding for metal removal or finishing, sawing for quick, smooth cuts, or any type of metal cutting. Applications: Use for grinding, sawing, polishing, drilling, tapping; any operation on most metals when a liquid cutting fluid is not desirable. Case Qty. 12

Order No. 2591-270 Price Each: \$19.50



### **RELTON** Cutting Fluids

### Rapid ap All Metal Cutting Fluid

- The most effective cutting fluid available
- · Excels in tough materials
- . Contains no 1,1,1-trichloroethane or ozone-depleting chemicals
- · Effective on all metals (including aluminum)

SIZE	CASE QTY.	PART Number	PRICE EACH
4 oz.	24	3159-400	\$ 3.30
16 oz.	12	3159-405	10.55
1 gal.	4	3159-410	59.95
5 gal.	1	3159-415	281.75
55 gal.†	-	3159-425	2380.00





#### **A-9 Aluminum Cutting Fluid**

Ozone-friendly • Saves Time - Tools - Money

Use for all operations on aluminum: milling, broaching, drilling, threading, tapping, reaming, sawing, etc. Contains a scientific blend of chemicals that attach themselves to aluminum surfaces, forming an effective extreme-pressure boundary lubricant between tool and work surface.

SIZE	CASE QTY.	PART Number	PRICE Each
4 oz.	24	3159-460	\$3.30
16 oz.	12	3159-465	10.55
1 gal.	4	3159-470	59.95
5 gal.	1	3159-475	281.75
55 gal.†	-	3159-485	2380.00

† FOB Factory



### Rapid ap Paste

CASE QTY. PART NO. PRICE EACH 3159-426 \$ 12.45

8 oz. jar

Greatly extended tool life Super-fine machined finish in operation after operation Anti-mist protection for a healthier work environment Contains no 1,1,1-trichlorothane or ozone- depleting chemicals Excels in tough materials	PASTE STICE 225/614
---	---------------------

### Option 1<sup>®</sup> Metal Cutting Fluid

Option 1<sup>®</sup> is effective in all machining operations on all metals except those that are water-reactive, such as magnesium.

- Ozone-friendly
- Water-based Biodegradable No oil
- Disposable down-the-drain
- No 1, 1, 1-trichloroethane (methyl chloroform)
- . No sulphur No toxic chemicals.
- Not reportable under any hazard laws.

SIZE	CASE QTY.	PART Number	PRICE Each
4 oz.	24	3159-430	\$ 3.30
16 oz.	12	3159-435	10.55
1 gal.	4	3159-440	59.95
5 gal.	1	3159-445	281.75
55 gal.†	-	3159-455	2380.00

† FOB Factory

#### Stick-Kut™ Wax Lubricant



- · Safe and effective lubricant for grinding wheels, sanding belts, and saw blades
- · Eliminates heat build-up and belt loading
- · Provides smooth, cool cutting
- · Extends wheel life
- · Reduces loading, stops binding, and prevents burring

SIZE	CASE QTY.	PART NO.	PRICE EACH
15 oz. stick	12	3159-427	\$ 11.90

### **СРОШП** Cutting Fluid

#### **Buttercutt**

#### **Cutting/Tapping Compound**

- High temperature, high pressure film provides dependable tool point lubrication.
- USDA Certified 98% Biobased Product
- Flash point of 550°F (288°C) No etch/staining
- · For use in manufacturing facilities

Stainless steel, nickel, copper alloys, & other metals

SIZE	CASE QTY.	PART NO.	PRICE EACH
16 oz. pint	12	9515-040	\$18.07
1 gallon	2	9515-041	83.01



### **Misting Systems**

#### **Kool Kit-Starter Special - Model 500**

#### Model 500 includes:

- One Model 100N Mist Coolant System with one gallon stainless steel tank.
- One Adjustable Magnetic Nozzle Positioner
- One Gallon Formula 78 Concentrated Coolant
- One Sample Formula 77 **Concentrated Coolant**

Formula 77 and 78 Meet Requirements of OSHA • NASA • AEC • EPA

Order No. 9520-205...Price Each: \$333.00



#### **General Purpose Models** with Stainless Steel Tanks





MODEL	TANK Capacity		ORDER Number		MODEL			ORDER Number	PRICE Each
100N	1 Gallon	1	9520-100	\$202.00	350N	3 Gallon	1	9520-103	
102N	1 Gallon	2	9520-116	290.00	352N	3 Gallon	2	9520-119	

All Models have 4' long Braided Nylon Reinforced Coolant Lines with 6" long Brass Nozzle

#### **Automatic Mist Coolant System Without Tank**

Equipped with 4' long braided nylon reinforced coolant line with 6" long brass nozzle. Units have 4' long siphoning line and ball check strainer for use with customer's own tank.

Model 100AP Single Line Unit Order No. 9520-200 Price Each \$200.00



#### Mist or Flood Coolants

Safe for people, materials, environment and machines

Formula 77: For tougher service. Is highly recommended for Mist Cooling any metal or alloy where tougher machining condition requires greater lubricity.

MODEL		ORDER NO.	
77-1	1 Gallon	9520-209	\$66.00
77-5	5 Gallon	9520-211	305.00

Formula 78: For light duty. Is a chemical base Mist Coolant that dissolves in water to a clear solution. Can be used on any metal or alloy.

MODEL		ORDER NO.	
78-1	1 Gallon	9520-213	\$62.00
78-5	5 Gallon	9520-215	294.00

#### **Replacement Coolant Lines**

MODEL NO.	DESCRIPTION	ORDER NUMBER	PRICE EACH
SCL-2	2 ft.Coolant Line	9520-250	\$44.00
SCL-4	4 ft.Coolant Line	9520-251	49.50
MCL-3	3 ft. Nylon Braid Coolant Line	9520-270	63.00
MCL-4	4 ft. Nylon Braid Coolant Line	9520-272	67.00

#### Mist Coolant Generator

Just one Model K-75 can handle most cooling jobs in your shop. Hangs on bracket (furnished) or stands anywhere. Volume and spray cone width are adjustable for each line.

- Turret takes up to four coolant lines: one furnished add others as needed
- · All lines ball-checked. No flowback
- · See-through drawer shows coolant level
- Can be moved from machine to machine
- Made of hi-strength structural plastics

Model K-75. Order No. 9520-160.....Price Each \$ 196.00 Kit K-75K .... Order No. 9520-161......Price Each \$ 86.00

Extra Outlet Kit - Contains everything required to add additional outlets to K-75 unit.



#### Port-a-Mist Kit – Model 560

#### Model 560 includes:

- One PORT-a-MIST Model 60M Unit including air and coolant hoses, heavy duty magnetic base, simple single knob control, and 12" flexible LOC-LINE® positioner.
- One Gallon Kool Mist Formula 78 Concentrated Coolant
- One Sample Formula 77 Concentrated Coolant (4 oz.)

Order No. 9520-206...Price Each: \$231.00

#### Port-a-Mist Unit Without Tanks

Model 60MI2: Unit with 12" Flexible LOC-LINE® Order No. 9520-184.....Price Each: \$155.00 Model 60MI8: Unit with 18" Flexible LOC-LINE® Order No. 9520-185......Price Each: \$185.00

- · Single Air/Coolant Control Valve
- Adjustable Spray Nozzle
- Heavy Duty Magnetic Base
- 12" or 18" Flexible LOC-LINE® Nozzle Positioner
- 4 ft. Coolant Hose with Anti Syphon Check Valve
- · 4 ft. Air Hose with Male Pipe Thread Fitting
- 1 yr. Warranty and Available Parts



#### **Kool-Kit Lite**

#### Model 580 Includes:

- One Model 80S Mist Coolant System
- One Model 200 Adjustable Magnetic Nozzle Positioner
- One Gallon Formula 78 Concentrated Coolant
- One Sample Formula 77 Concentrated Coolant

Light Duty Models Without Tanks

2' Long Nylon Reinforced Coolant Line with 4' Long Siphon Line

4" Long Brass Nozzle

Order No. 9520-208...Price Each: \$213.00

#### **Nozzle Positioners**

Model 205 Order No. 9520-173 Price Each: \$43.00

Magnetic Nozzle, for Portable Use

Model 305 Order No. 9520-172 Price Each: \$32.00

Non-Magnetic Nozzle, for Permanent Mounting



#### **Models For Use** with Your Own Tank or Sump

Simplest of the Systems: The controls of these units are mounted permanently to the machine, close to the operator and the cut.

No Coolant Tank Furnished: Coolant mix may be placed in the machine sump, or in any clean container that will not contaminate the coolant. If the sump is used, the conventional flood coolant pump must be made inoperative.

Coaxial Coolant Line: Coolant and compressed air are not mixed until they reach the nozzle. To overcome the need for dual line, Kool Mist has developed a coaxial line, or a hose within a hose. Coolant line exteriors may be nylon braided for normal duty, or metal braided for protection from hot chips and abrasion.

Easy-to-use Control: Output from each nozzle is regulated by a single knob on the control. Mist spray may be turned on or off instantly to coordinate with the cutting cycle, and the spray mix made lean or rich as needed.

MODEL No.	COOLANT LINE Type & Length			PRICE Each
	Nylon Braided 2' Nylon Braided 2'	Not Incl. Magnet	9520-180 9520-181	

\* Straight nozzle is standard. 45° and 90° nozzles are available

1 Gal. Tank Holder Order No. 9520-217 .. Price Each: \$63.00

1 **5** gallon = 2 **BUY CASE QTY.** (except 5 gallon)

#### **Plasti Dip**

Multi-purpose rubber coating that exhibits excellent moisture. acid, alkaline, and abrasion resistance. Protects against skidding/slipping and corrosion.

Shipping Code: 2; 1 (5 gal.) \*Cannot be sold in CA



		CASE	ODDED NO	PRICE
MFG #	DESCRIPTION	QTY.	ORDER NO.	EACH
11201-6	11 oz. aero. Red	6	9520-800	\$11.63
11203-6	11 oz. aero. Black	6	9520-802	11.63
11207-6	11 oz. aero. White	6	9520-804	11.63
11209-6	11 oz. aero. Clear	6	9520-805	11.63
11221-6	11 oz. aero. Gn. Gray	6	9520-806	11.63
11601-6	14.5 oz. Red	6	9520-810	13.86
11602-6	14.5 oz. Yellow	6	9520-811	13.86
11603-6	14.5 oz. Black	6	9520-812	13.86
11604-6	14.5 oz. Blue	6	9520-813	13.86
12213	22 oz. Black	6	9520-818	10.55
12219	22 oz. Clear	6	9520-817	10.55
10101*	1 gal. Red	4	9520-820	50.48
10102*	1 gal. Yellow	4	9520-821	50.48
10103*	1 gal. Black	4	9520-822	50.48
10104*	1 gal. Blue	4	9520-823	50.48
10106*	1 gal. H. Green	4	9520-824	50.48
10107*	1 gal. White	4	9520-825	50.48
10109*	1 gal. Clear	4	9520-826	50.48
10101013	1 gal. Gn. Gray	4	9520-827	50.48
105C1*	5 gal. Red	-	9520-830	208.88
105C161*	5 gal. Yellow	-	9520-831	208.88
105C3*	5 gal. Black	-	9520-832	208.88
105C4*	5 gal. Blue	-	9520-833	208.88
105C444*	5 gal. H. Green	-	9520-834	208.88
105C7*	5 gal. White	-	9520-835	208.88
10509*	5 gal. Clear	-	9520-836	208.88
105C1013	5 gal. Gn. Gray	-	9520-837	208.88

#### **UV Formula**

Shipping Code: 2; 1 (5 gal.) \*Cannot be sold in CA

	, a.o. = , . (o ga)			
MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
10101UV	1 gal. Red	4	9521-000	\$51.17
10102UV	1 gal. Yellow	4	9521-001	51.17
10103UV	1 gal. Black	4	9521-002	51.17
10104UV	1 gal. Blue	4	9521-003	51.17
10106UV	1 gal. Hntr. Green	4	9521-004	51.17
10107UV	1 gal. White	4	9521-005	51.17
10109UV	1 gal. Clear	4	9521-006	51.17
10101013UV	1 gal. G. Gray	4	9521-007	51.17
105C1UV	5 gal. Red	-	9520-760	211.20
105C161UV	5 gal. Yellow	-	9520-761	211.20
105C3UV	5 gal. Black	-	9520-762	211.20
105C4UV	5 gal. Blue	-	9520-763	211.20
105C444UV	5 gal. Hntr. Green	-	9520-764	211.20
105C7UV	5 gal. White	-	9520-765	211.20

#### **Flourescents**

Shipping Code: 2; 1 (5 gal.) \*Cannot be sold in CA



#### **VLP - Vinyl Repair**

A clear, high strength, flexible adhesive designed to mend rips, tears and small holes on most types of flexible vinyl and leather surfaces. Typical applications include: furniture, awnings, tarps, vinyl sheeting, luggage, rain wear, boots, hunting gear, auto seats and dashes.



MFG #	SIZE	SHIPPING CODE	CASE QTY.	ORDER NO.	PRICE Each
61Z09	1 oz.	2	6	9520-920	\$6.47
61209*	12 oz.	2	24	9520-921	36.30
60109*	1 gal.	2	4	9520-922	112.30
60509*	5 gal.	1	-	9520-923	524.26

\*Cannot be sold in CA

#### **HCF-Hard Coat Finish**

Multi-purpose acrylic coating that is non-flammable and has high solids content making this coating an emission control coating system. Exhibits excellent petroleum, chemical, UV, corrosion, and abrasion resistance. Typical applications include: transformers, coils, tools, fixtures, brackets, oil handling equipment, heavy machinery, and chain link fence components.

\*Cannot be sold in CA

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
30101	1 gal. Red	4	9520-850	\$85.55
30102	1 gal. Yellow	4	9520-851	85.55
30103	1 gal. Black	4	9520-852	85.55
30104	1 gal. Blue	4	9520-853	85.55
30105	1 gal. Orange	4	9520-854	85.55
30106	1 gal. Green	4	9520-855	85.55
30107	1 gal. White	4	9520-856	85.55
30108	1 gal. Grey	4	9520-857	85.55
305C15	5 gal. Red	-	9520-860	373.97
305C226	5 gal. Yellow	-	9520-861	373.97
305C16	5 gal. Black	-	9520-862	373.97
305C19	5 gal. Blue	-	9520-863	373.97
305C165	5 gal. Orange	-	9520-864	373.97
305C164	5 gal. Green	-	9520-865	373.97
305C468	5 gal. White	-	9520-866	373.97
305C117	5 gal. Gray	-	9520-867	373.97

#### **Standard Formula - Spray**

DIY only: DE, IL, IN, MI, WI Cannot be sold in AK, CA, HI, MA, MD, NJ, Canada (5 gal: CA, DE, MD)

Ship. Code: 2 (1 gal.) 1 (5 gal.)



#### 1 Gallon

Ship. Code: 2

MFG #	1 GAL. Color	CASE QTY.	ORDER NO.	PRICE Each
101018	Red	4	9520-780	\$50.48
10102S	Yellow	4	9520-781	50.48
10103S	Black	4	9520-782	50.48
10104S	Blue	4	9520-783	50.48
10106S	Htr. Green	4	9520-784	50.48
10107S	White	4	9520-785	50.48
10109S	Clear	4	9520-786	50.48
10101013S	Gn. Gray	4	9520-787	50.48

#### 5 Gallon

Ship. Code: 1

MFG #	(5 GAL.) Color	ORDER NO. PRICE
105C01S	Red	9520-770 \$208.88
105C161S	Yellow	9520-771 208.88
105C444S	Htr. Green	9520-774 208.88
105C7S	White	9520-775 208.88
10509S	Clear	9520-776 208.88

#### **Plastiseam**

A tough, clear, flexible resin system that is excellent for sealing out moisture in pin holes in sewn seams. Typical applications include: nylon, canvas, backpacks, tents, awnings, tarps, outdoor and hunting gear. \*Cannot be sold in CA

Shipping Code: 2



#### **Liquid Tape**

An air dry, synthetic rubber coating that can be brushed on and exhibits excellent moisture, acid, alkaline, abrasion, and dielectric resistance Remains flexible under extreme weather conditions; will not be brittle. Typical applications include: boats, RV's, automotive, timers, outdoor wiring, instruments, computers, circuit boards, and switches

**Shipping Code: 2** 

•			Constitution of the second sec	WI AL COLLEGE
MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
LET14Z01 LET14Z03 16003-6 16009-6	4 oz. Red 4 oz. Black 6 oz. Black Spray 6 oz. Clear Spray	6 6 6	9520-950 9520-951 9520-954 9520-955	\$11.71 11.71 10.79 6.12

#### **Clear Glossifier**

Laquer Topcoat
• Gives any Plasti Dipped item a glossy, polished look.

 Ideal for automotive applications, crafts, and many more uses.

Shipping Code: 2, excluding 5 gal: 1

*Cannot be so	ld in CA or Canad	MET & GALLONS / O	LÓN (3.78 L) ALONES (18.9 L) CALCINES (18.9 L)			
MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each		
F95610109	1 gal. Clear	4	9520-915	\$62.46		
F95610509	5 gal. Clear	-	9520-916	272.93		
HIGH GLOSS						
F99210109	1 gal. high glo	ss 4	9521-046	\$62.06		

#### **Super Grip**

F99210509

An air dry, non-yellowing, synthetic rubber coating that bonds to most types of fabrics to prevent skidding and slipping on slick surfaces. Typical applications include: fabric cushions, throw rugs, clothes hangers, athletic grips, table cloths, and

5 gal. high gloss -

Shipping Code: 2

\*Cannot be sold in CA

9521-047



272.93

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
91209-6*	11.5 oz. aerosol	6	9520-959	\$10.75

#### ReRack

Vinyl/Dishwasher Rack Repair

- · Won't crack, chip, or become brittle
- · Resists heat, high water pressure
- · Protects against rust
- Easy to use, durable, versatile

**Shipping Code: 2** 

	DESCRIPTION			EACH
630076	1 oz. White	6	9520-976	\$8.66





#### **Plasti Dip Camo**

- Plasti Dip Camo is a special collection of Plasti Dip colors designed to match the many shades of nature.
- Specially formulated colors help you blend in with your surroundings.
- · Protects outdoor gear from impact, abrasion, and the elements. **Shipping Code: 2**

MFG #	COLOR	CASE QTY.	ORDER NO.	PRICE Each
11214-6	Black	6	9520-870	\$10.96
11215-6	Tan	6	9520-871	10.96
11216-6	Brown	6	9520-872	10.96
11217-6	Green	6	9520-873	10.96



NEW

**ITEMS** 



- · Easy to use, gives any Plasti Dipped item a unique look.
- Adds a shimmering, metallic finish while letting the color of the Plasti Dip underneath show through.
- · Metalizer colors work only as an addition to original or aerosol Plasti Dip coatings. Shipping Code: 2

1

MFG #	COLOR	CASE QTY.	ORDER NO.	PRICE Each
11210-6	Silver	6	9520-875	\$13.84
11211-6	Gold	6	9520-876	7.56
11236-6	Copper	6	9520-878	13.84
11242-6	Blue	6	9520-897	7.56
11244-6	Violet	6	9520-899	7.56
11287-6	Graphite Pearl	6	9520-892	13.84



**BUY CASE OTY** 

(except 5 gallon)

#### **Plasti Dip Enhancer**

Glossifier: Gives any Plasti Dipped item a glossy, polished look. Satinizer: Provides satin UV protection on Plasti Dip coated items. Reflex: Reflective Safety Rubber Coating

Transform any surface to a reflective safety surface, any size/shape. Cost effective when compared to reflective tape. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
11212-6	Glossifier	6	9520-877	\$10.89



#### **Plasti Dip Pearlizer**

- · Gives a pearlescent sheen and subtle white tint to any color of Plasti Dip.
- · Adds a one-of-a-kind luster to any dried, cured Plasti Dip coating. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
11226-6	Spray	6	9520-895	\$12.65



#### **Plasti Dip Classic Muscle**

- 11 new classic muscle car colors to choose from
- · Easy to apply, won't peel or crack or become brittle in extreme weather conditions.
- Excellent for use on wheels, badges and trim!
- Protects coated items against moisture, acids, abrasion, & corrosion
   Easy to remove from most surfaces when ready to return to the original surface. Shipping Code: 2

MFG #	COLOR	CASE QTY.	ORDER NO.	PRICE Each
11306-6	Tropical Turquoise	6	9521-119	\$19.03
11309-6	Plum Crazy	6	9521-122	19.03



#### **Plasti Dip Smoke**

- · Special formulation with a translucent, black-gray color
- · Protects coated items against moisture, acids and corrosion
- Color darkens gradually as more coats are added. 1-2 coats are light, smoky gray. Each additional coat gives Plasti Dip Smoke a darker hue-from gray to charcoal to black.
- Can be applied to nearly any substrate surface, and creates a soft, rubbery, easy-grip surface. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
11220-6	11 oz. Aero. Gray/Blk.	6	9520-890	\$10.99



#### **Plasti Dip Blaze**

- · A unique collection of neon Plasti Dip colors that deliver A dilique collection of heart risks to perfect that deepercatching looks for any application.
   Use anywhere you need bright, easy to see colors
   Use it to improve visibility for safety concerns
   Add can't-miss color or for a one-of-a-kind look

- Peelable easy to remove from most surfaces when ready to remove
   Protects against moisture, acids, abrasion, corrosion,
- Provides against ministure, actus, actus, actus, corresion, skidding, and slipping
   Provides a comfortable, controlled grip
   Remains flexible and stretchy over time
   Will not crack or become brittle in extreme weather conditions

	ion or boodino bi	ictio iii ont	Tomo Wodano	· comandicion
MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE Each
11218-6	Orange	6	9520-880	\$11.76
11219-6	Blue	6	9520-881	11.76
11222-6	Yellow	6	9520-882	11.76
11223-6	Pink	6	9520-883	11.76
11224-6	Green	6	9520-884	11.76



**Shipping Code: 2** 

#### Primer

An air dry, clear acrylic formula specifically developed to increase adhesion of Plasti Dip. Shipping Code: 2, excluding 5 gal: 1

	CASE			PRICE
MFG #	DESCRIPTION	QTY.	ORDER NO.	EACH
41209-6	11 oz. aero.	6	9520-904	\$17.29

